

CRL FRAMELESS SHOWER SCREEN PANELS

CATSSPMEL_02_24_ZD_V2

CRL FRAMELESS SHOWER SCREEN PANELS



CRL Shower panels are Grade A 10 mm thick toughened safety glass. Choose from a wide range of sizes to create a multitude of different shower configurations and pair with the most extensive range of shower hardware available in the industry.

CRL SHOWER SCREEN DOOR PANELS

10 mm thick toughened glass with provision for a shower door knob. Door panels are suited for use with Perth Series or Melbourne Series hinges.

CAT. NO.	WIDTH	HEIGHT	SQM	WEIGHT
SDP6002085	600 mm	2085 mm	1.25	31.3 kg
SDP6102085	610 mm	2085 mm	1.27	31.8 kg
SDP6202085	620 mm	2085 mm	1.29	32.3 kg
SDP6302085	630 mm	2085 mm	1.31	32.8 kg
SDP6402085	640 mm	2085 mm	1.33	33.4 kg
SDP6502085	650 mm	2085 mm	1.35	33.9 kg

Glass Fabrication Detail





CRL is your one-stop shop for frameless shower screens.

CRL SHOWER SCREEN HINGE PANELS

10 mm thick toughened glass panels suitable for use with Perth Series or Melbourne Series hinges.

CAT. NO.	WIDTH	HEIGHT	SQM	WEIGHT
SHP1792100	179 mm	2100 mm	0.38	9.4 kg
SHP2292100	229 mm	2100 mm	0.47	12.0 kg
SHP2402100	240 mm	2100 mm	0.50	12.6 kg
SHP2792100	279 mm	2100 mm	0.58	14.6 kg
SHP3292100	329 mm	2100 mm	0.68	17.3 kg
SHP3792100	379 mm	2100 mm	0.79	19.9 kg
SHP4292100	429 mm	2100 mm	0.89	22.5 kg
SHP4792100	479 mm	2100 mm	1.00	25.1 kg
SHP5292100	529 mm	2100 mm	1.10	27.8 kg
SHP5402100	540 mm	2100 mm	1.12	28.4 kg
SHP5792100	579 mm	2100 mm	1.21	30.4 kg

Glass Fabrication Detail



CRL SHOWER SCREEN FIXED / RETURN PANELS

10 mm thick toughened glass panels suited for use as a shower return panel or stand alone fixed panel.


CAT. NO.	WIDTH	HEIGHT	SQM	WEIGHT
SFP1972100	197 mm	2100 mm	0.41	10.3 kg
SFP4972100	497 mm	2100 mm	1.04	26.1 kg
SFP5972100	597 mm	2100 mm	1.25	31.3 kg
SFP6972100	697 mm	2100 mm	1.46	36.6 kg
SFP7972100	797 mm	2100 mm	1.67	41.8 kg
SFP8472100	847 mm	2100 mm	1.57	44.5 kg
SFP8972100	897 mm	2100 mm	1.88	47.1 kg
SFP9472100	947 mm	2100 mm	1.98	49.7 kg
SFP9972100	997 mm	2100 mm	2.09	52.3 kg
SFP10472100	1047 mm	2100 mm	2.19	55.0 kg
SFP10972100	1097 mm	2100 mm	2.30	57.6 kg
SFP11472100	1147 mm	2100 mm	2.40	60.2 kg
SFP11972100	1197 mm	2100 mm	2.51	62.8 kg
SFP12972100	1297 mm	2100 mm	2.72	68.1 kg
SFP13972100	1397 mm	2100 mm	2.93	73.3 kg



CRL SHOWER SCREEN ROUNDED GLASS SHELF

10 mm thick toughened glass rounded glass shelf panel. Can be used in conjunction with SGCND brackets and or silicone.


CAT. NO.	WIDTH	WIDTH	SQM	WEIGHT
SGS200	200 mm	200 mm	0.03	0.8 kg
SGS250	250 mm	250 mm	0.046	1.2 kg



CRL SHOWER SCREEN BRACE PANELS

8 mm thick toughened glass panels designed to provide rigidity for the hinge panel supporting the shower door and return panel.

CAT. NO.	WIDTH	HEIGHT	SQM	WEIGHT
SBP786150	786 mm	150 mm	0.13	2.9 kg
SBP796150	796 mm	150 mm	0.13	3.0 kg
SBP806150	806mm	150 mm	0.13	3.0 kg
SBP816150	816 mm	150 mm	0.13	3.1 kg
SBP826150	826 mm	150 mm	0.13	3.1 kg
SBP836150	836 mm	150 mm	0.13	3.1 kg
SBP846150	846 mm	150 mm	0.14	3.2 kg
SBP856150	856 mm	150 mm	0.14	3.2 kg
SBP866150	866 mm	150 mm	0.13	3.2 kg
SBP876150	876 mm	150 mm	0.13	3.3 kg



CAT. NO.	WIDTH	HEIGHT	SQM	WEIGHT
SBP886150	886 mm	150 mm	0.13	3.3 kg
SBP896150	896 mm	150 mm	0.13	3.4 kg
SBP906150	906 mm	150 mm	0.14	3.4 kg
SBP916150	916 mm	150 mm	0.14	3.4 kg
SBP926150	926 mm	150 mm	0.14	3.5 kg
SBP936150	936 mm	150 mm	0.14	3.5 kg
SBP946150	946 mm	150 mm	0.14	3.5 kg
SBP956150	956 mm	150 mm	0.14	3.6 kg
SBP966150	966 mm	150 mm	0.14	3.6 kg
SBP976150	976 mm	150 mm	0.15	3.7 kg
SBP986150	986 mm	150 mm	0.15	3.7 kg
SBP996150	996 mm	150 mm	0.15	3.7 kg
SBP1006150	1006 mm	150 mm	0.15	3.8 kg
SBP1016150	1016 mm	150 mm	0.15	3.8 kg
SBP1026150	1026 mm	150 mm	0.15	3.8 kg
SBP1036150	1036 mm	150 mm	0.16	3.9 kg
SBP1046150	1046 mm	150 mm	0.16	3.9 kg
SBP1056150	1056 mm	150 mm	0.16	4.0 kg
SBP1066150	1066 mm	150 mm	0.16	4.0 kg
SBP1076150	1076 mm	150 mm	0.16	4.0 kg
SBP1086150	1086 mm	150 mm	0.16	4.1 kg
SBP1096150	1096 mm	150 mm	0.16	4.1 kg
SBP1106150	1106 mm	150 mm	0.17	4.1 kg
SBP1116150	1116 mm	150 mm	0.17	4.2 kg
SBP1126150	1126 mm	150 mm	0.17	4.2 kg
SBP1136150	1136 mm	150 mm	0.17	4.3 kg
SBP1146150	1146 mm	150 mm	0.17	4.3 kg
SBP1156150	1156 mm	150 mm	0.17	4.3 kg
SBP1166150	1166 mm	150 mm	0.17	4.4 kg
SBP1176150	1176 mm	150 mm	0.17	4.4 kg
SBP1186150	1186 mm	150 mm	0.18	4.4 kg
SBP1196150	1196 mm	150 mm	0.18	4.5 kg
SBP1206150	1206 mm	150 mm	0.18	4.5 kg
SBP1216150	1216 mm	150 mm	0.18	4.6 kg
SBP1226150	1226 mm	150 mm	0.18	4.6 kg
SBP1236150	1236 mm	150 mm	0.18	4.6 kg

SHOWER CONFIGURATIONS


FIXED PANEL SHOWER CONFIGURATIONS

Single panel shower with a range of available width. A support bar is recommended to stabilise the glass.



OVERALL WIDTH	FIXED PANEL
200 mm	197 mm
500 mm	497 mm
600 mm	597 mm
700 mm	697 mm
800 mm	797 mm
850 mm	847 mm
900 mm	897 mm
950 mm	947 mm
1000 mm	997 mm
1050 mm	1047 mm
1100 mm	1097 mm
1150 mm	1147 mm
1200 mm	1197 mm
1300 mm	1297 mm
1400 mm	1397 mm



TOP VIEW



SIDE VIEW



TWO PANEL IN-LINE SHOWER CONFIGURATIONS


A hinge panel to the wall with a door to complete the opening.

OVERALL WIDTH	HINGE PANEL	DOOR PANEL
790 mm	179 mm	600 mm
800 mm	179 mm	610 mm
810 mm	179 mm	620 mm
820mm	179 mm	630 mm
830 mm	179 mm	640 mm
840 mm	229 mm	600 mm
850 mm	229 mm	610 mm
860 mm	229 mm	620 mm
870 mm	229 mm	630 mm
880 mm	229 mm	640 mm
890 mm	279 mm	600 mm
900 mm	279 mm	610 mm
910 mm	279 mm	620 mm
920 mm	279 mm	630 mm
930 mm	279 mm	640 mm
940 mm	329 mm	600 mm
950 mm	329 mm	610 mm
960 mm	329 mm	620 mm
970 mm	329 mm	630 mm
980 mm	329 mm	640 mm
990 mm	379 mm	600 mm
1000 mm	379 mm	610 mm
1010 mm	379 mm	620 mm



OVERALL WIDTH	HINGE PANEL	DOOR PANEL
1020 mm	379 mm	630 mm
1030 mm	379 mm	640 mm
1040 mm	429 mm	600 mm
1050 mm	429 mm	610 mm
1060 mm	429 mm	620 mm
1070 mm	429 mm	630 mm
1080 mm	429 mm	640 mm
1090 mm	479 mm	600 mm
1100 mm	479 mm	610 mm
1110 mm	479 mm	620 mm
1120 mm	479 mm	630 mm
1130 mm	479 mm	640 mm
1140 mm	529 mm	600 mm
1150 mm	529 mm	610 mm
1160 mm	529 mm	620 mm
1170 mm	529 mm	630 mm
1180 mm	529 mm	640 mm
1190 mm	579 mm	600 mm
1200 mm	579 mm	610 mm
1210 mm	579 mm	620 mm
1220 mm	579 mm	630 mm
1230 mm	579 mm	640 mm
1240 mm	579 mm	650 mm



TOP VIEW



SIDE VIEW




TWO PANEL IN-LINE (WALL MOUNT DOOR) SHOWER CONFIGURATIONS

A door panel hinging off the wall with a fixed panel to complete the installation.



OVERALL WIDTH	FIXED PANEL	DOOR PANEL
812 mm	197 mm	600 mm
822 mm	197 mm	610 mm
832 mm	197 mm	620 mm
842 mm	197 mm	630 mm
852 mm	197 mm	640 mm
862 mm	197 mm	650 mm
1112 mm	497 mm	600 mm
1122 mm	497 mm	610 mm
1132 mm	497 mm	620 mm
1142 mm	497 mm	630 mm
1152 mm	497 mm	640 mm
1212 mm	597 mm	600 mm
1222 mm	597 mm	610 mm
1232 mm	597 mm	620 mm
1242 mm	597 mm	630 mm
1252 mm	597 mm	640 mm
1312 mm	697 mm	600 mm
1322 mm	697 mm	610 mm
1332 mm	697 mm	620 mm
1342 mm	697 mm	630 mm
1352 mm	697 mm	640 mm
1362 mm	697 mm	650 mm
1412 mm	797 mm	600 mm
1422 mm	797 mm	610 mm
1432 mm	797 mm	620 mm
1442 mm	797 mm	630 mm
1452 mm	797 mm	640 mm
1462 mm	847 mm	600 mm
1472 mm	847 mm	610 mm
1482 mm	847 mm	620 mm
1492 mm	847 mm	630 mm
1502 mm	847 mm	640 mm
1512 mm	897 mm	600 mm
1522 mm	897 mm	610 mm
1532 mm	897 mm	620 mm
1542 mm	897 mm	630 mm
1552 mm	897 mm	640 mm
1562 mm	947 mm	600 mm
1572 mm	947 mm	610 mm
1582 mm	947 mm	620 mm

OVERALL WIDTH	FIXED PANEL	DOOR PANEL
1592 mm	947 mm	630 mm
1602 mm	947 mm	640 mm
1612 mm	997 mm	600 mm
1622 mm	997 mm	610 mm
1632 mm	997 mm	620 mm
1642 mm	997 mm	630 mm
1652 mm	997 mm	640 mm
1662 mm	1047 mm	600 mm
1672 mm	1047 mm	610 mm
1682 mm	1047 mm	620 mm
1692 mm	1047 mm	630 mm
1702 mm	1047 mm	640 mm
1712 mm	1097 mm	600 mm
1722 mm	1097 mm	610 mm
1732 mm	1097 mm	620 mm
1742 mm	1097 mm	630 mm
1752 mm	1097 mm	640 mm
1762 mm	1147 mm	600 mm
1772 mm	1147 mm	610 mm
1782 mm	1147 mm	620 mm
1792 mm	1147 mm	630 mm
1802 mm	1147 mm	640 mm
1812 mm	1197 mm	600 mm
1822 mm	1197 mm	610 mm
1832 mm	1197 mm	620 mm
1842 mm	1197 mm	630 mm
1852 mm	1197 mm	640 mm
1862 mm	1197 mm	650 mm
1912 mm	1297 mm	600 mm
1922 mm	1297 mm	610 mm
1932 mm	1297 mm	620 mm
1942 mm	1297 mm	630 mm
1952 mm	1297 mm	640 mm
1962 mm	1297 mm	650 mm
2012 mm	1397 mm	600 mm
2022 mm	1397 mm	610 mm
2032 mm	1397 mm	620 mm
2042 mm	1397 mm	630 mm
2052 mm	1397 mm	640 mm
2062 mm	1397 mm	650 mm

TOP VIEW



SIDE VIEW



THREE PANEL CORNER SHOWER CONFIGURATIONS

A hinge panel to the wall with a door and return panel to complete the screen.

FRONT

OVERALL WIDTH	HINGE PANEL	DOOR PANEL
800 mm	179 mm	600 mm
810 mm	179 mm	610 mm
820 mm	179 mm	620 mm
830 mm	179 mm	630 mm
840 mm	179 mm	640 mm
850 mm	229 mm	600 mm
860 mm	229 mm	610 mm
870 mm	229 mm	620 mm
880 mm	229 mm	630 mm
890 mm	229 mm	640 mm
900 mm	279 mm	600 mm
910 mm	279 mm	610 mm
920 mm	279 mm	620 mm
930 mm	279 mm	630 mm
940 mm	279 mm	640 mm
950 mm	329 mm	600 mm
960 mm	329 mm	610 mm
970 mm	329 mm	620 mm
980 mm	329 mm	630 mm
990 mm	329 mm	640 mm
1000 mm	379 mm	600 mm
1010 mm	379 mm	610 mm
1020 mm	379 mm	620 mm
1030 mm	379 mm	630 mm
1040 mm	379 mm	640 mm
1050 mm	429 mm	600 mm
1060 mm	429 mm	610 mm
1070 mm	429 mm	620 mm
1080 mm	429 mm	630 mm
1090 mm	429 mm	640 mm
1100 mm	479 mm	600 mm
1110 mm	479 mm	610 mm
1120 mm	479 mm	620 mm
1130 mm	479 mm	640 mm


FRONT

OVERALL WIDTH	HINGE PANEL	DOOR PANEL
1140 mm	479 mm	640 mm
1150 mm	529 mm	610 mm
1160 mm	529 mm	610 mm
1170 mm	529 mm	620 mm
1180 mm	529 mm	630 mm
1190 mm	529 mm	640 mm
1200 mm	579 mm	600 mm
1210 mm	579 mm	610 mm
1220 mm	579 mm	620 mm
1230 mm	579 mm	630 mm
1240 mm	579 mm	640 mm
1250 mm	579 mm	650 mm



RETURN

OVERALL RETURN WIDTH	RETURN PANEL
200 mm	197 mm
500 mm	497 mm
600 mm	597 mm
700 mm	697 mm
800 mm	797 mm
850 mm	847 mm
900 mm	897 mm
950 mm	947 mm
1000 mm	997 mm
1050 mm	1047 mm
1100 mm	1097 mm
1150 mm	1147 mm
1200 mm	1197 mm
1300 mm	1297 mm
1400 mm	1397 mm

TOP VIEW



SIDE VIEW




THREE PANEL IN-LINE SHOWER CONFIGURATIONS

A hinged and fixed panel configuration with door in between.



OVERALL INLINE WIDTH	HINGE PANEL	DOOR PANEL	FIXED PANEL	OVERALL INLINE WIDTH	HINGE PANEL	DOOR PANEL	FIXED PANEL
990 mm	179 mm	600 mm	197 mm	1380 mm	529 mm	640 mm	197 mm
1000 mm	179 mm	610 mm	197 mm	1390 mm	579 mm	600 mm	197 mm
1010 mm	179 mm	620 mm	197 mm	1400 mm	579 mm	610 mm	197 mm
1020 mm	179 mm	630 mm	197 mm	1410 mm	579 mm	620 mm	197 mm
1030 mm	179 mm	640 mm	197 mm	1420 mm	579 mm	630 mm	197 mm
1040 mm	229 mm	600 mm	197 mm	1430 mm	579 mm	640 mm	197 mm
1050 mm	229 mm	610 mm	197 mm	1440 mm	579 mm	650 mm	197 mm
1060 mm	229 mm	620 mm	197 mm	1540 mm	229 mm	600 mm	697 mm
1070 mm	229 mm	630 mm	197 mm	1550 mm	229 mm	610 mm	697 mm
1080 mm	229 mm	640 mm	197 mm	1560 mm	229 mm	620 mm	697 mm
1090 mm	279 mm	600 mm	197 mm	1570 mm	229 mm	630 mm	697 mm
1100 mm	279 mm	610 mm	197 mm	1580 mm	229 mm	640 mm	697 mm
1110 mm	279 mm	620 mm	197 mm	1590 mm	229 mm	600 mm	697 mm
1120 mm	279 mm	630 mm	197 mm	1600 mm	229 mm	610 mm	697 mm
1130 mm	279 mm	640 mm	197 mm	1610 mm	279 mm	620 mm	697 mm
1140 mm	329 mm	600 mm	197 mm	1620 mm	279 mm	630 mm	697 mm
1150 mm	329 mm	610 mm	197 mm	1630 mm	279 mm	640 mm	697 mm
1160 mm	329 mm	620 mm	197 mm	1640 mm	329 mm	600 mm	697 mm
1170 mm	329 mm	630 mm	197 mm	1650 mm	329 mm	610 mm	697 mm
1180 mm	329 mm	640 mm	197 mm	1660 mm	329 mm	620 mm	697 mm
1190 mm	379 mm	600 mm	197 mm	1670 mm	329 mm	630 mm	697 mm
1200 mm	379 mm	610 mm	197 mm	1680 mm	329 mm	640 mm	697 mm
1210 mm	379 mm	620 mm	197 mm	1690 mm	379 mm	600 mm	697 mm
1220 mm	379 mm	630 mm	197 mm	1700 mm	379 mm	610 mm	697 mm
1230 mm	379 mm	640 mm	197 mm	1710 mm	379 mm	620 mm	697 mm
1240 mm	429 mm	600 mm	197 mm	1720 mm	379 mm	630 mm	697 mm
1250 mm	429 mm	610 mm	197 mm	1730 mm	379 mm	640 mm	697 mm
1260 mm	429 mm	620 mm	197 mm	1740 mm	429 mm	600 mm	697 mm
1270 mm	429 mm	630 mm	197 mm	1750 mm	429 mm	610 mm	697 mm
1280 mm	429 mm	640 mm	197 mm	1760 mm	429 mm	620 mm	697 mm
1290 mm	479 mm	600 mm	197 mm	1770 mm	429 mm	630 mm	697 mm
1300 mm	479 mm	610 mm	197 mm	1780 mm	429 mm	640 mm	697 mm
1310 mm	479 mm	620 mm	197 mm	1790 mm	479 mm	600 mm	697 mm
1320 mm	479 mm	630 mm	197 mm	1800 mm	479 mm	610 mm	697 mm
1330 mm	479 mm	640 mm	197 mm	1810 mm	479 mm	620 mm	697 mm
1340 mm	529 mm	600 mm	197 mm	1820 mm	479 mm	630 mm	697 mm
1350 mm	529 mm	610 mm	197 mm	1830 mm	479 mm	640 mm	697 mm
1360 mm	529 mm	620 mm	197 mm	1840 mm	529 mm	600 mm	697 mm
1370 mm	529 mm	630 mm	197 mm	1850 mm	529 mm	610 mm	697 mm

TOP VIEW



OVERALL INLINE WIDTH	HINGE PANEL	DOOR PANEL	FIXED PANEL
1860 mm	529 mm	620 mm	697 mm
1870 mm	529 mm	630 mm	697 mm
1880 mm	529 mm	640 mm	697 mm
1890 mm	579 mm	600 mm	697 mm
1900 mm	579 mm	610 mm	697 mm
1910 mm	579 mm	620 mm	697 mm
1920 mm	579 mm	630 mm	697 mm
1930 mm	579 mm	640 mm	697 mm
1940 mm	529 mm	600 mm	797 mm
1950 mm	529 mm	610 mm	797 mm
1960 mm	529 mm	620 mm	797 mm
1970 mm	529 mm	630 mm	797 mm
1980 mm	529 mm	640 mm	797 mm
1990 mm	579 mm	600 mm	797 mm
2000 mm	579 mm	610 mm	797 mm

SIDE VIEW



CRL FRAMELESS SHOWER SCREEN HARDWARE

PERTH SERIES PROFESSIONAL GLASS HINGES

Perth Series professional hinges are pre-set to accommodate 10 mm thick glass. The gaskets are glued into the hinge, promoting rapid installation. Composed of solid brass, the spring will self center within 25 degrees of the closed position and will open both inwards and outwards. All Perth Series hinges suit CRL pre-fabricated shower panels.

Adjustable Perth Series professional hinges are pre-set to accommodate 10 mm thick glass and are adjustable to accommodate the desired angle (up to 90 degrees) after the door is installed. The door can swing 90 degrees inward and 90 degrees outward (adjusting angle from factory set position will reduce 90 degrees swing in that direction).



CAT. NO.	DESCRIPTION	COLOUR
PER180CH	180 Degree Glass to Glass Hinge	Chrome
PER180BN	180 Degree Glass to Glass Hinge	Brushed Nickel
PER180MBL	180 Degree Glass to Glass Hinge	Matt Black
PER180BR	180 Degree Glass to Glass Hinge	Polished Brass
PER180BB	180 Degree Glass to Glass Hinge	Brushed Brass
PER180BAB	180 Degree Glass to Glass Hinge	Brushed Antique Brass
PER180MGM	180 Degree Glass to Glass Hinge	Matt Gun Metal
PER180SC	180 Degree Glass to Glass Hinge	Satin Chrome
PER180W	180 Degree Glass to Glass Hinge	White
PER180BRG	180 Degree Glass to Glass Hinge	Brushed Rose Gold
PER380CH	180 Degree Adjustable Glass to Glass Hinge	Chrome
PER380BN	180 Degree Adjustable Glass to Glass Hinge	Brushed Nickel
PER380MBL	180 Degree Adjustable Glass to Glass Hinge	Matt Black




CAT. NO.	DESCRIPTION	COLOUR
PER044CH	Wall to Glass Hinge Offset	Chrome
PER044BN	Wall to Glass Hinge Offset	Brushed Nickel
PER044MBL	Wall to Glass Hinge Offset	Matt Black
PER044BR	Wall to Glass Hinge Offset	Polished Brass
PER044BB	Wall to Glass Hinge Offset	Brushed Brass
PER044BAB	Wall to Glass Hinge Offset	Brushed Antique Brass
PER044MGM	Wall to Glass Hinge Offset	Matt Gun Metal
PER044SC	Wall to Glass Hinge Offset	Satin Chrome
PER044W	Wall to Glass Hinge Offset	White
PER044BRG	Wall to Glass Hinge Offset	Brushed Rose Gold
PER344CH	Adjustable Wall to Glass Hinge Offset	Chrome
PER344BN	Adjustable Wall to Glass Hinge Offset	Brushed Nickel
PER344MBL	Adjustable Wall to Glass Hinge Offset	Matt Black




CAT. NO.	DESCRIPTION	COLOUR
PER037CH	Wall to Glass Hinge	Chrome
PER037BN	Wall to Glass Hinge	Brushed Nickel
PER037MBL	Wall to Glass Hinge	Matt Black

NO DRILL CLAMPS


No Drill clamps are made of solid brass and available in several finishes. This clamp provides an alternative to clamps which require drilled holes or notches in the glass and are suited to use with CRL pre-fabricated shower panels. A single nylon tipped grub screw is tightened to secure onto 10 mm glass.




CAT. NO.	DESCRIPTION	COLOUR
SGCNDCH	Square No Drill Clamp	Chrome
SGCNDBN	Square No Drill Clamp	Brushed Nickel
SGCNDMBL	Square No Drill Clamp	Matt Black
SGCNDBR	Square No Drill Clamp	Polished Brass
SGCNDBB	Square No Drill Clamp	Brushed Brass
SGCNDBAB	Square No Drill Clamp	Brushed Antique Brass
SGCNDMGM	Square No Drill Clamp	Matt Gun Metal
SGCNDSC	Square No Drill Clamp	Satin Chrome
SGCNDW	Square No Drill Clamp	White
SGCNDBRG	Square No Drill Clamp	Brushed Rose Gold



CAT. NO.	DESCRIPTION	COLOUR
SGCNDLCH	Square No Drill Clamp with Leg	Chrome
SGCNDLBN	Square No Drill Clamp with Leg	Brushed Nickel
SGCNDLMBL	Square No Drill Clamp with Leg	Matt Black
SGCNDLBR	Square No Drill Clamp with Leg	Polished Brass
SGCNDLBB	Square No Drill Clamp with Leg	Brushed Brass
SGCNDLBAB	Square No Drill Clamp with Leg	Brushed Antique Brass
SGCNDLMGM	Square No Drill Clamp with Leg	Matt Gun Metal
SGCNDLSC	Square No Drill Clamp with Leg	Satin Chrome
SGCNDLW	Square No Drill Clamp with Leg	White
SGCNDLBRG	Square No Drill Clamp with Leg	Brushed Rose Gold




CAT. NO.	DESCRIPTION	COLOUR
NDC4CH	No-Drill Fixed Panel Clamp	Chrome
NDC4BN	No-Drill Fixed Panel Clamp	Brushed Nickel
NDC4MBL	No-Drill Fixed Panel Clamp	Matt Black
NDC4BR	No-Drill Fixed Panel Clamp	Polished Brass




CAT. NO.	DESCRIPTION	COLOUR
SGCNDL180CH	No-Drill Fixed Panel Clamp	Chrome
SGCNDL180BN	No-Drill Fixed Panel Clamp	Brushed Nickel
SGCNDL180MBL	No-Drill Fixed Panel Clamp	Matt Black
SGCNDL180BB	No-Drill Fixed Panel Clamp	Brushed Brass

SHOWER DOOR KNOBS


Perth Series shower knobs are constructed from solid brass and are suitable for use with CRL pre-fabricated shower panels. Available in a wide range of finishes.



CAT. NO.	DESCRIPTION	COLOUR
SDKR2530CH	Round Knob 25 mm x 30 mm	Chrome
SDKR2530BN	Round Knob 25 mm x 30 mm	Brushed Nickel
SDKR2530MBL	Round Knob 25 mm x 30 mm	Matt Black



CAT. NO.	40 mm DESCRIPTION	COLOUR
SDKR2540CH	Round Knob 25 mm x 40 mm	Chrome
SDKR2540BN	Round Knob 25 mm x 40 mm	Brushed Nickel
SDKR2540MBL	Round Knob 25 mm x 40 mm	Matt Black
SDKR2540BR	Round Knob 25 mm x 40 mm	Polished Brass
SDKR2540BB	Round Knob 25 mm x 40 mm	Brushed Brass
SDKR2540BAB	Round Knob 25 mm x 40 mm	Brushed Antique Brass
SDKR2540MGM	Round Knob 25 mm x 40 mm	Matt Gun Metal
SDKR2540SC	Round Knob 25 mm x 40 mm	Satin Chrome
SDKR2540W	Round Knob 25 mm x 40 mm	White
SDKR2540BRG	Round Knob 25 mm x 40 mm	Brushed Rose Gold




CAT. NO.	DESCRIPTION	COLOUR
SDKSQCH	Square Back to Back Knob 25 mm x 30 mm	Chrome
SDKSQBN	Square Back to Back Knob 25 mm x 30 mm	Brushed Nickel
SDKSQMBL	Square Back to Back Knob 25 mm x 30 mm	Matt Black




CAT. NO.	DESCRIPTION	COLOUR
SDK140CH	Crescent Grip Knob 25 mm x 30 mm	Chrome
SDK140BN	Crescent Grip Knob 25 mm x 30 mm	Brushed Nickel
SDK140MBL	Crescent Grip Knob 25 mm x 30 mm	Matt Black
SDK140BR	Crescent Grip Knob 25 mm x 30 mm	Polished Brass

SHOWER U CHANNELS

Shower U channels are available in regular, deep and extended sizes for use with CRL pre-fabricated shower panels.




CAT. NO.	DESCRIPTION	COLOUR
SDCR38BA	9.5 mm High U Channel x 2.4 m	Chrome
SDCR38BN	9.5 mm High U Channel x 2.4 m	Brushed Nickel
SDCR38MBL	9.5 mm High U Channel x 2.4 m	Matt Black
SDCR38BGA	9.5 mm High U Channel x 2.4 m	Bright Gold Anodised




CAT. NO.	DESCRIPTION	COLOUR
SDCD38BA	19 mm High U Channel x 2.4 m	Chrome
SDCD38BN	19 mm High U Channel x 2.4 m	Brushed Nickel
SDCD38MBL	19 mm High U Channel x 2.4 m	Matt Black
SDCD38BGA	19 mm High U Channel x 2.4 m	Bright Gold Anodised
SDCD38SB	19 mm High U Channel x 2.4 m	Satin Brass
SDCD38A	19 mm High U Channel x 2.4 m	Satin Anodised
SDCD38W	19 mm High U Channel x 2.4 m	White

***ADDITIONAL FINISHES & 3.6 M LENGTHS AVAILABLE* (CAT. NO. SDCD3812)**



CAT. NO.	DESCRIPTION	COLOUR
SDCE38BA	30 mm High U Channel x 2.4 m	Chrome
SDCE38BN	30 mm High U Channel x 2.4 m	Brushed Nickel
SDCE38MBL	30 mm High U Channel x 2.4 m	Matt Black
SDCE38BGA	30 mm High U Channel x 2.4 m	Bright Gold Anodised



CAT. NO.	DESCRIPTION	COLOUR
SDCD12BA	19 mm High U Channel x 2.4 m	Chrome
SDCD12BN	19 mm High U Channel x 2.4 m	Brushed Nickel
SDCD12MBL	19 mm High U Channel x 2.4 m	Matt Black
SDCD12BGA	19 mm High U Channel x 2.4 m	Bright Gold Anodised
SDCD12SB	19 mm High U Channel x 2.4 m	Satin Brass
SDCD12A	19 mm High U Channel x 2.4 m	Satin Anodised
SDCD12W	19 mm High U Channel x 2.4 m	White

***ADDITIONAL FINISHES & 3.6 M LENGTHS AVAILABLE* (CAT. NO. SDCD1212)**

BRACE PANEL SUPPORT BRACKETS

Brace panel support brackets are composed of solid brass and suitable for 8-10 mm glass. A single nylon tipped grub screw is tightened to secure the glass brace panel and provide rigidity to the shower screen.




CAT. NO.	DESCRIPTION	COLOUR
SUPA10CH	Brace panel support bracket	Chrome
SUPA10BN	Brace panel support bracket	Brushed Nickel
SUPA10MBL	Brace panel support bracket	Matt Black
SUPA10BR	Brace panel support bracket	Polished Brass
SUPA10BB	Brace panel support bracket	Brushed Brass
SUPA10BAB	Brace panel support bracket	Brushed Antique Brass
SUPA10MGM	Brace panel support bracket	Matt Gun Metal
SUPA10SC	Brace panel support bracket	Satin Chrome
SUPA10W	Brace panel support bracket	White
SUPA10BRG	Brace panel support bracket	Brushed Rose Gold

FIXED PANEL ROUND SUPPORT BARS & FITTINGS

Fixed panel round support bars are designed to stabilise the glass panels. Nylon tipped grub screws secure the glass and the support bar can attach to the wall or ceiling.



CAT. NO.	DESCRIPTION	COLOUR
SUP10CH	Fixed panel to wall support bar kit 1 m	Chrome
SUP10BN	Fixed panel to wall support bar kit 1 m	Brushed Nickel
SUP10BR	Fixed panel to wall support bar kit 1 m	Polished Brass
SUP10CH51	Fixed panel to wall support bar kit 1.3 m	Chrome
SUP10BN51	Fixed panel to wall support bar kit 1.3 m	Brushed Nickel



CAT. NO.	DESCRIPTION	COLOUR
S1CH	Support bar only 1 m	Chrome
S1BN	Support bar only 1 m	Brushed Nickel
S1BR	Support bar only 1 m	Polished Brass
S1MBL	Support bar only 1 m	Matt Black
S2CH	Support bar only 1.3 m	Chrome
S2BN	Support bar only 1.3 m	Brushed Nickel
S2BR	Support bar only 1.3 m	Polished Brass
S2MBL	Support bar only 1.3 m	Matt Black
S80CH	Support bar only 2 m	Chrome
S80BN	Support bar only 2 m	Brushed Nickel
S80BR	Support bar only 2 m	Polished Brass
S80MBL	Support bar only 2 m	Matt Black




CAT. NO.	DESCRIPTION	COLOUR
S5CH	Glass mount adjustable bracket - 10 or 12mm Glass	Chrome
S5BN	Glass mount adjustable bracket - 10 or 12mm Glass	Brushed Nickel
S5BR	Glass mount adjustable bracket - 10 or 12mm Glass	Polished Brass
S5MBL	Glass mount adjustable bracket - 10 or 12mm Glass	Matt Black



CAT. NO.	DESCRIPTION	COLOUR
S7CH	Moveable glass mount bracket for 10 or 12mm Glass	Chrome
S7BN	Moveable glass mount bracket for 10 or 12mm Glass	Brushed Nickel
S7MBL	Moveable glass mount bracket for 10 or 12mm Glass	Matt Black



CAT. NO.	DESCRIPTION	COLOUR
S910CH	Vertical glass mount bracket for 10 or 12mm Glass	Chrome
S910BN	Vertical glass mount bracket for 10 or 12mm Glass	Brushed Nickel
S910MBL	Vertical glass mount bracket for 10 or 12mm Glass	Matt Black




CAT. NO.	DESCRIPTION	COLOUR
S13CH	Adjustable Slim-line Glass Fitting for 6 to 12mm Glass	Chrome
S13BN	Adjustable Slim-line Glass Fitting for 6 to 12mm Glass	Brushed Nickel



CAT. NO.	DESCRIPTION	COLOUR
S12CH	Wall/ceiling mount tube bracket	Chrome
S12BN	Wall/ceiling mount tube bracket	Brushed Nickel
S12BR	Wall/ceiling mount tube bracket	Polished Brass
S12MBL	Wall/ceiling mount tube bracket	Matt Black



CAT. NO.	DESCRIPTION	COLOUR
S14CH	Wall mount top fitting	Chrome
S14BN	Wall mount top fitting	Brushed Nickel
S14MBL	Wall mount top fitting	Matt Black



CAT. NO.	DESCRIPTION	COLOUR
SBB45CH	45° Wall mount tube fitting	Chrome
SBB45BN	45° Wall mount tube fitting	Brushed Nickel
SBB45MBL	45° Wall mount tube fitting	Matt Black

FIXED PANEL SQUARE SUPPORT BARS & BRACKETS

Fixed panel square support bars are designed to stabilise the glass panels. Nylon tipped grub screws secure the glass and the support bar can attach to the wall or ceiling.



CAT. NO.	DESCRIPTION	COLOUR
SQ39CH	Square Support Bar only 1 m	Chrome
SQ39BN	Square Support Bar only 1 m	Brushed Nickel
SQ39MBL	Square Support Bar only 1 m	Matt Black



CAT. NO.	DESCRIPTION	COLOUR
SQ59CH	Square Support Bar only 1.5 m	Chrome
SQ59BN	Square Support Bar only 1.5 m	Brushed Nickel
SQ59MBL	Square Support Bar only 1.5 m	Matt Black



CAT. NO.	DESCRIPTION	COLOUR
SQ42CH	Swivel Glass Mount U-Bracket	Chrome
SQ42BN	Swivel Glass Mount U-Bracket	Brushed Nickel
SQ42MBL	Swivel Glass Mount U-Bracket	Matt Black




CAT. NO.	DESCRIPTION	COLOUR
SQ46CH	Wall/Ceiling Mount Bracket	Chrome
SQ46BN	Wall/Ceiling Mount Bracket	Brushed Nickel
SQ46MBL	Wall/Ceiling Mount Bracket	Matt Black




CAT. NO.	DESCRIPTION	COLOUR
SQ910CH	Vertical Glass Mount Bracket	Chrome
SQ910BN	Vertical Glass Mount Bracket	Brushed Nickel

SLEEVE OVER GLASS CLAMPS


Sleeve Over glass clamps provide a mechanical fastener that adds support to shower panels. They can also be used as a temporary aid to hold panels in position whilst sealants are curing.




CAT. NO.	DESCRIPTION	COLOUR
SOGC90CH	Sleeve Over Clamp 90 Degrees	Chrome
SOGC90BN	Sleeve Over Clamp 90 Degrees	Brushed Nickel
SOGC90MBL	Sleeve Over Clamp 90 Degrees	Matt Black
SOGC90BR	Sleeve Over Clamp 90 Degrees	Polished Brass




CAT. NO.	DESCRIPTION	COLOUR
SOGC91CH	Sleeve Over Clamp 90 Degrees Adjustable	Chrome
SOGC91BN	Sleeve Over Clamp 90 Degrees Adjustable	Brushed Nickel
SOGC91MBL	Sleeve Over Clamp 90 Degrees Adjustable	Matt Black
SOGC91BR	Sleeve Over Clamp 90 Degrees Adjustable	Polished Brass



CAT. NO.	DESCRIPTION	COLOUR
SOGC37LCH	Sleeve Over Clamp Left Hand Wall Mount	Chrome
SOGC37LBN	Sleeve Over Clamp Left Hand Wall Mount	Brushed Nickel
SOGC37LMBL	Sleeve Over Clamp Left Hand Wall Mount	Matt Black
SOGC37LBR	Sleeve Over Clamp Left Hand Wall Mount	Polished Brass




CAT. NO.	DESCRIPTION	COLOUR
SOGC37RCH	Sleeve Over Clamp Right Hand Wall Mount	Chrome
SOGC37RBN	Sleeve Over Clamp Right Hand Wall Mount	Brushed Nickel
SOGC37RMBL	Sleeve Over Clamp Right Hand Wall Mount	Matt Black
SOGC37RBR	Sleeve Over Clamp Right Hand Wall Mount	Polished Brass




CAT. NO.	DESCRIPTION	COLOUR
SOGC01CH	Sleeve Over Clamp Ceiling Mount	Chrome
SOGC01BN	Sleeve Over Clamp Ceiling Mount	Brushed Nickel
SOGC01MBL	Sleeve Over Clamp Ceiling Mount	Matt Black
SOGC01BR	Sleeve Over Clamp Ceiling Mount	Polished Brass

WATER SEALS AND SWEEPS


Water seals and sweeps are designed to minimise water leakage from frameless shower enclosures. The range features both snap on and stick-on options. The seals offer anti-fungus and UV protectors to maximise the seal life.




CAT. NO.	DESCRIPTION	LENGTH	COLOUR
P990WS	Clear Co-Extruded Bottom Wipe with Drip Rail	2.4 m	Translucent




CAT. NO.	DESCRIPTION	LENGTH	COLOUR
P500BR	Clear Bottom Rail with Wipe	2.4 m	Translucent




CAT. NO.	DESCRIPTION	LENGTH	COLOUR
P501BR	One-Piece Bottom Rail with Wipe	2.4 m	Translucent




CAT. NO.	DESCRIPTION	LENGTH	COLOUR
P880WS	Dual Durometer PVC Seal with Wipe	2.4 m	Translucent




CAT. NO.	DESCRIPTION	LENGTH	COLOUR
P375HW	Multi-Purpose 'H' Wipe	2.4 m	Translucent




CAT. NO.	DESCRIPTION	LENGTH	COLOUR
P375HWS	Multi-Purpose 'H' Wipe with Extra Soft Legs	2.4 m	Translucent




CAT. NO.	DESCRIPTION	LENGTH	COLOUR
PCR10	Polycarbonate 'U' with Bulb	2.4 m	Translucent




CAT. NO.	DESCRIPTION	LENGTH	COLOUR
P090SJ	'U' Seal with Leg and Vinyl Insert at 90 Degrees	2.4 m	Translucent




CAT. NO.	DESCRIPTION	LENGTH	COLOUR
P380HJ	Polycarbonate 'h' Jamb 180 Degree	2.4 m	Translucent




CAT. NO.	DESCRIPTION	LENGTH	COLOUR
P10MMHJ	Polycarbonate 'h' - Jamb 180 Degree	2.4 m	Translucent




CAT. NO.	DESCRIPTION	LENGTH	COLOUR
PCC10	'Y' Jamb Seal with Soft Leg	2.4 m	Translucent



CAT. NO.	DESCRIPTION	LENGTH	COLOUR
P12LJ	Multi-Purpose 'L' Angle	2.4 m	Translucent



CAT. NO.	DESCRIPTION	LENGTH	COLOUR
SDTLT2	Translucent Vinyl 'L' Seal with Tape	2.4 m	Translucent



CAT. NO.	DESCRIPTION	LENGTH	COLOUR
PCJ10	90 Degree Strike Side Seal	2.4 m	Translucent


WATER SEALS AND SWEEPS




CAT. NO.	DESCRIPTION	LENGTH	COLOUR
SDTST2	Translucent Vinyl Edge 'V' Seal with Tape	2.4 m	Translucent




CAT. NO.	DESCRIPTION	LENGTH	COLOUR
SDLB	Translucent Vinyl Bulb Seal	2.4 m	Translucent




CAT. NO.	DESCRIPTION	LENGTH	COLOUR
SILB	Translucent Silicone Bulb Seal	2.4 m	Translucent



CAT. NO.	DESCRIPTION	LENGTH	COLOUR
PMA10	45 Degree LH Magnetic Profile Glass to Glass	2.4 m	Translucent



CAT. NO.	DESCRIPTION	LENGTH	COLOUR
PMB10	45 Degree RH Magnetic Profile Glass to Glass	2.4 m	Translucent




CAT. NO.	DESCRIPTION	LENGTH	COLOUR
PMC10	90 Degree Magnetic Profile Glass to Glass	2.4 m	Translucent

MAGNETIC PROFILE CONFIGURATIONS


Angle	Profiles Required	Configuration
180°	PMC10 + PMA10	Door swings in one direction only
180°	PMA10 + PMC10	Door swings in both directions
135°	PMA10 + PMC10	Door swings out only
90°	PMA10 + PMB10	Reverse for polarity-door swings out only

SHOWER DOOR THRESHOLDS


Shower door thresholds are mounted directly below the shower door to assist the water drainage back into the shower enclosure. Ideal for flat or out-sloping curbs. Thresholds may be used in conjunction with a bottom sweep.




CAT. NO.	DESCRIPTION	COLOUR
WBCH	Half Round Shower Threshold 5 mm x 12 mm x 2 m	Chrome
WBBN	Half Round Shower Threshold 5 mm x 12 mm x 2 m	Brushed Nickel
WBMBL	Half Round Shower Threshold 5 mm x 12 mm x 2 m	Matt Black
WBSB	Half Round Shower Threshold 5 mm x 12 mm x 2 m	Satin Brass



CAT. NO.	DESCRIPTION	COLOUR
WBCHSQ	Square Shower Door Threshold 10 mm x 10 mm x 2 m	Chrome



CAT. NO.	DESCRIPTION	COLOUR
SDT980BA	Wide Shower Door Threshold 6 mm x 20 mm x 2.4 m	Chrome
SDT980BN	Wide Shower Door Threshold 6 mm x 20 mm x 2.4 m	Brushed Nickel
SDT980MBL	Wide Shower Door Threshold 6 mm x 20 mm x 2.4 m	Matt Black
SDT980BGA	Wide Shower Door Threshold 6 mm x 20 mm x 2.4 m	Bright Gold Anodised
SDT980CLR	Wide Shower Door Threshold 6 mm x 20 mm x 2.4 m	Translucent



CAT. NO.	DESCRIPTION	COLOUR
S1L001CH	Tapered Shower Threshold 10 mm x 16 mm x 2.4 m	Chrome
S1L001BN	Tapered Shower Threshold 6 mm x 20 mm x 2.4 m	Brushed Nickel
S1L001MBL	Tapered Shower Threshold 6 mm x 20 mm x 2.4 m	Matt Black
S1L001A	Tapered Shower Threshold 6 mm x 20 mm x 2.4 m	Satin Anodised
S1L001W	Tapered Shower Threshold 6 mm x 20 mm x 2.4 m	White

INSTALLATION TOOLS



CRL Sure-Grip Vacuum Lifter

CRL is proud to introduce the latest technology in hand-held vacuum lifting cups, our CRL Sure-Grip Vacuum Lifter. Manufactured in Australia, the state-of-the-art design of the S338 offers unique features, setting it apart from other 203 mm pump-activated vacuum lifters. Superior Lifting Capacity Performance: Third party independent lab tests rate the S338 at 68 kg


CAT. NO.	DESCRIPTION	LIFTING CAPACITY
S338	CRL Sure-Grip 203 mm Vacuum Lifter	68 kg



CRL Viking Arm Kit

Kit pricing for the new VA330 Viking Arm + GP3100 Panel place and position tool attachment. These revolutionary patented tools can be used with any standard glass vacuum cup to assist in lifting and positioning glass for easier installation. Capable of lifting up to 150kg (subject to cup weight limitations), the incremental lowering value is 1mm per press of the button when the product is under load. Now you can precisely set and position glass without the need for a second helper, saving on extra labor costs and time!

CAT. NO.	DESCRIPTION
GP3VAK	CRL Viking Arm Kit
VA330	Viking Arm Handheld Tool
GP3100	Viking Glass Pane Place and Position Tool Attachment



CRL Newborn Ratchet Rod Caulking Gun

The CRL Newborn Ratchet Rod Gun is a professional model drop-in cartridge gun with a (51 mm dia x 216 mm) barrel that holds all standard size caulking cartridges. The ratchet action rod pushes caulking material smoothly with double, heat-treated dog drives for even application. It's one of our most popular guns because it has a good combination of the following features at a very affordable price: seal piercing tool, nozzle spout cutter, ladder hook, adjustable wrist strap, and no pinch finger guard.

CAT. NO.	DESCRIPTION
KM27RD	CRL Newborn Ratchet Rod Caulking Gun

SEALANTS & ADHESIVES



CRL Sanitary Silicone Sealant

CRL Sanitary Silicone is a one-part, high modulus, fast cure and long skin time neutral cure sanitary silicone sealant. It resists mildew, even when exposed to prolonged hot and humid environments. The sealant does not provide or maintain a nutrient surface for fungus. This sealant effectively seals around bathtubs, shower stalls, wall fixtures, rimless sinks, kitchen and bathroom fixtures.

CAT. NO.	DESCRIPTION	COLOUR
CRL2601	CRL Clear Neutral Cure Sanitary Silicone 300 g	Translucent
CRL2602	CRL Clear Neutral Cure Sanitary Silicone 300 g	White



CRL High Performance Silicone Sealant

CRL HPS60 High Performance Glazing Silicone is a premium 100% fast curing, high strength, neutral cure silicone adhesive/sealant. Designed for all facets of glazing with excellent adhesion to glass, powder coated or anodised aluminium, steel, Colorbond®, masonry, wood, tile and many plastics. HPS60's unique non-slump high viscosity formula is perfectly suited for large vertical and overhead butt-joint, glazing of colonial bars as well as any glazing and weatherproofing applications.

CAT. NO.	DESCRIPTION	COLOUR
HPS60C	CRL High Performance Glazing Silicone 300 g	Translucent
HPS60B	CRL High Performance Glazing Silicone 300 g	Black



Trex MS Adhesive

CRL Crystal Clear T-Rex Power MS Adhesive is a crystal clear, neutral, elastic, single component sealant/adhesive based on MS polymers. It has outstanding bond strength, mostly without primer, on nearly all surfaces, even moist.

CAT. NO.	DESCRIPTION	COLOUR
TREX100C	Trex MS Adhesive 300 g	Crystal Clear
TREX100B	Trex MS Adhesive 300 g	Black
TREX100W	Trex MS Adhesive 300 g	White
TREX100G	Trex MS Adhesive 300 g	Grey


SETTING BLOCKS



CRL Repel All Purpose Surface Cleaner

- Perfect for Glass, Hardware, Mirrors, Tiles, Acrylic and Chrome Fixtures
- Repels and resist water, soil, grime and fingerprints
- Clean to a Streak-Free Shine
- Gentle Enough for Any Surface
- Great for Treating Stainless Steel and Hard Mineral Surfaces
- Alcohol and VOC - Free

CAT. NO.	DESCRIPTION	Package
CRLREPEL32	CRL Repel All Purpose Surface Cleaner	946 ml



CRL Clear Setting Blocks

CRL Clear Plastic Setting Blocks are especially suited for use where black neoprene or thermoplastic rubber setting blocks are undesirable, such as in mirror or frameless shower installations. They are barely visible in the bottoms of Mirror J-Channel, or on the bottom of sliding track H-Bar.

CAT. NO.	DESCRIPTION	THICKNESS	WIDTH	LENGTH
PSB040AU	CRL Clear Plastic Setting Blocks - Pack of 100	1 mm	6 mm	50 mm
PSB080AU	CRL Clear Plastic Setting Blocks - Pack of 100	2 mm	6 mm	50 mm
PSB125AU	CRL Clear Plastic Setting Blocks - Pack of 100	3 mm	6 mm	50 mm
PSB156AU	CRL Clear Plastic Setting Blocks - Pack of 100	4 mm	6 mm	50 mm
PSB250AU	CRL Clear Plastic Setting Blocks - Pack of 100	6 mm	6 mm	50 mm
PSB375AU	CRL Clear Plastic Setting Blocks - Pack of 100	10 mm	6 mm	50 mm
SB10375CL	CRL Clear Plastic Setting Blocks - Pack of 100	3 mm	10 mm	75 mm
SB10575CL	CRL Clear Plastic Setting Blocks - Pack of 100	5 mm	10 mm	75 mm
SB101275CL	CRL Clear Plastic Setting Blocks - Pack of 100	10 mm	12 mm	75 mm
SB12350	CRL Clear Plastic Setting Blocks - Pack of 100	3 mm	12 mm	50 mm
SB12650	CRL Clear Plastic Setting Blocks - Pack of 100	6 mm	12 mm	50 mm
SB101250	CRL Clear Plastic Setting Blocks - Pack of 100	10 mm	12 mm	50 mm



CRL Universal Sterling Shears

These CRL Universal Shears are great for cutting PVC strips, rubber gaskets, molding and weather-strip. The cutter is made of high-quality steel with vinyl handgrips which allow for comfort when cutting.

CAT. NO.	DESCRIPTION
1105	CRL Universal Shears
1105B	CRL Replacement Blade for 1105 Cutter

CLEANING PRODUCTS



CRL 1973 Ammoniated Aerosol Glass Cleaner

CRL 1973 Glass Cleaner, a longtime favorite of CRL customers, is a low ammoniated glass cleaner that is packaged in the traditional easy-to-handle 500 g CRL glass cleaner has effective cleaning agents that leave glass sparkling clean. It also has a pleasant aroma, so you can use it indoors and out with equal effectiveness.

CAT. NO.	DESCRIPTION	Package
1973	CRL 1973 Ammoniated Aerosol Glass Cleaner – One Case of 12 Cans	500g Per Can



CRL Lint-Free Glass Wipes

Extra-tough CRL Lint-Free Glass Wipes bring the absorbing power you need in a lighter weight material that's reinforced with a nylon scrim for extra strength. The ripple texture makes them easy to hold during use, and provides just the right amount of surface area for cleaning solutions to do their work.

CAT. NO.	DESCRIPTION
BX15	CRL 150 Lint-Free Glass Wipes Box
1550	CRL Bulk Lint-Free Glass Wipes – 6 Boxes



CRL "Sparkle" Cleaner and Stain Remover

CRL "Sparkle" Cleaner does those glass cleaning jobs too tough for spray-on cleaners. It removes light water spots and stains in glass caused by weather, sea air, or pollution; also removes soap scum from shower doors and ceramic tile. Use it on auto glass to remove water spots from automatic windshield washers. Wipe on with a damp cloth or paper towel, rub stained areas, then wipe off.

CAT. NO.	DESCRIPTION	Package
SP101	CRL "Sparkle" Cleaner and Stain Remover	236 ml Bottle



CRL Bio-clean Water Stain Remover

CRL Bio-Clean is a professional strength cleaner recommended by both glazing contractors and professional window cleaning companies. Effectively Removes Water and Mineral Stains, Lime Scale, Calcium, Soap Scum, Oxidation, Rust, Tree Sap, Paint Overspray, Mold, Tarnish, Salt Spray, and Mildew From Glass and Other Surfaces. Suitable for Shower Doors, Windows, Glass Surfaces, Tile, Fiberglass, Windshields, Chrome, Porcelain, Corian®, Anodized Brass and Aluminum, Stainless Steel, and Hard Vinyl.

CAT. NO.	DESCRIPTION	Package
WSR1	CRL Bio-Clean Water Stain Remover	473 ml Bottle



Call on 1800 424 275

Fax on 1800 813 013

Melbourne

42 Enterprise Drive

Rowville

VIC 3178

Tel. +61 3 9764 8322

Sydney

9 Shale Place

Eastern Creek

NSW 2766

Tel. +61 2 9851 3444

Enquiries

Email: crlaus@crlaurence.com

www.crlaurence.com.au

CRL®