

VELARE SERIES

SOFT SLIDING DOOR SYSTEM

CATVELMEL_09_26_ZD

Your Advantages

- Modern Low-Profile Design
- Soft Hydraulic Mechanism In Both Directions
- Available In 8 Popular Finishes
- No Holes In Fixed Panel
- Stock Door, Fixed and 90° Return Glass Panels at 2100 mm High.
- Small Clearance Gaps for Use Without Seals
- Solid Aluminium Design
- For 8 and 10 mm Toughened Safety Glass
- Tested to 200,000+ Cycles

Technical Data



40 kg Maximum Door Weight



Soft Operating Mechanism



Glass Thickness 8-10 mm




Adjustable 3mm+/- Rollers

AVAILABLE FINISHES




Polished Chrome
(CH)




Brushed Nickel
(BN)




Matte Black
(MBL)



Matte Gun Metal
(MGM)



Satin Brass
(SB)



Polished Brass
(BR)



Brushed Copper Bronze
(BCB)



Brushed Bronze
(BBRZ)

CRL® VELARE SERIES FINISH CROSS REFERENCE GUIDE

CRL	Sussex®	Brodware®	Astra Walker®	Faucet Strommen®	ABI Interiors®	Milli®	Nero®	Phoenix®
Cool Metals								
Polished Chrome	Chrome	Durobrite Chrome	Chrome	Chrome	Chrome	Chrome	Chrome	Chrome
Matte Black	Opium Black	Nero	Matte Black	Switzrock Matte Black	Matte Black	Matte Black	Matte Black	Matte Black
Warm White Metals								
Brushed Nickel	Brushed Oyster Nickel	Brushed Nickel	Brushed Platinum	Brushed New Nickel	Brushed Nickel (SB)	Brushed Nickel	Brushed Nickel	Brushed Nickel
Matte Gun Metal			Iron Bronze		Brushed Gun Metal (SS)		Gun Metal	Brushed Carbon
Warm Yellow Metals								
Polished Brass	Pure Gold	Polished Gold	Natural Brass	Polished Liberty Gold				
Satin Brass		Brushed Nordic Brass	Urban Brass	Brushed Liberty Gold	Brushed Brass (SS)	Brushed Gold		Brushed Gold
Brushed Bronze	Brushed Pure Gold	Brushed Gold						
Pink Toned Metals								
Brushed Copper Bronze	Brushed Silk Rose Gold	Brushed Copper	Tuscan Bronze		Brushed Copper (SS)			

CRL	Yabby®	Meir®	Estelle®	Mizu®	RainCo®	Oliveri®	Alma®	Caroma®
Cool Metals								
Polished Chrome	Chrome	Polished Chrome	Polished Chrome	Chrome		Chrome		Chrome
Matte Black	Matte Black	Matte Black	Matte Black	Matte Black	Matte Black	Matte Black	Matte Black	Matte Black
Warm White Metals								
Brushed Nickel		Brushed Nickel	Satin Nickel	Brushed Nickel	Brushed Nickel	Brushed Nickel	Brushed Nickel	Brushed Nickel
Matte Gun Metal	Gunmetal			Brushed Gunmetal	Gun Metal Brushed	Gunmetal	Brushed Gunmetal	Gun Metal
Warm Yellow Metals								
Polished Brass			Gold Polish					
Satin Brass			Brushed Brass Electro		Brushed Brass			
Brushed Bronze				Brushed Gold		Brushed Gold	Brushed Brass Gold	
Pink Toned Metals								
Brushed Copper Bronze		Lustre Bronze	Brushed RoseGold			Copper		Brushed Bronze

The trademarks listed above : Sussex®, Brodware®, Astra Walker®, Faucet Strommen®, ABI Interiors®, Milli®, Nero®, Phoenix®, Yabby®, Meir®, Estelle®, Mizu®, RainCo®, Oliveri®, Alma® and Caroma® are the property of their respective owners and they are referenced in these materials for information only. CRL does not claim any ownership or interest in these trademarks, nor does CRL endorse any of the products sold by third-parties bearing any of these trademarks.

VELARE SOFT SLIDING DOOR SYSTEM

Velare 180° Kit - 2000mm Long

- Constructed from Aluminium
- Specially Designed Roller Bearings for Quiet Door Movement
- For use with 10 mm Toughened Glass Panels - Purchase Separately
- Optional Return Panel Track Holder Available Separately
- Available in 8 Popular Finishes

Specifications:

Glass Thickness: 8-10 mm - Not Included

Material: Aluminium

Maximum Door Weight: Do Not Exceed 40 kg

Glass Fabrication: Holes Required in the Door and Return Panel

CAT. NO.	FINISH
VEL78CH	Polished Chrome
VEL78BN	Brushed Nickel
VEL78MBL	Matte Black
VEL78MGM	Matte Gun Metal
VEL78SB	Satin Brass
VEL78BR	Polished Brass
VEL78BCB	Brushed Copper Bronze
VEL78BBRZ	Brushed Bronze


Each Kit Contains:



Velare 2 m Sliding Track



Hydraulic Stoppers



Door Guide



Track Wall Mount Brackets



Rollers



Tool & Fixings Pack

VELARE SOFT SLIDING DOOR SYSTEM ACCESSORIES

90° Glass Panel Return Track Connector

- Creates a Front / 90° Return Configuration
- Top Grub Screw Plate for Quick Track Install
- Slotted Bracket for Minimal Glass Clearance
- Sold Separately



CAT. NO.	FINISH
VEL90CH	Polished Chrome
VEL90BN	Brushed Nickel
VEL90MBL	Matte Black
VEL90MGM	Matte Gun Metal
VEL90SB	Satin Brass
VEL90BR	Polished Brass
VEL90BCB	Brushed Copper Bronze
VEL90BBRZ	Brushed Bronze

Track Wall Mount Brackets

- 15 mm of horizontal fixing adjustment
- Top Grub Screw Plate for Quick Track Install
- Slotted Bracket for Minimal Glass Clearance
- Sold as a Pair



CAT. NO.	FINISH
VELWMBCH	Polished Chrome
VELWMBBN	Brushed Nickel
VELWMBMBL	Matte Black
VELWMBMGM	Matte Gun Metal
VELWMBMSB	Satin Brass
VELWMBBR	Polished Brass
VELWMBBCB	Brushed Copper Bronze
VELWMBBBRZ	Brushed Bronze

Carriage Roller Pair

- Push Fit Cover Plate to Hide Fixing
- 40 kg Weight Limit on Two Rollers
- Precise Track Alignment for Smooth Rolling
- Sold as a Pair



CAT. NO.	FINISH
VELCRCH	Polished Chrome
VELCRBN	Brushed Nickel
VELCRMBL	Matte Black
VELCRMGM	Matte Gun Metal
VELCRSB	Satin Brass
VELCRBR	Polished Brass
VELCRBCB	Brushed Copper Bronze
VELCRBBRZ	Brushed Bronze

Hydraulic Stopper Pair


- 40 kg Door Capacity
- Small Design to Fit Slimline Track
- Sold per Pair



CAT. NO.	FINISH
VELHS	Dark Grey

Door Guide

- Suits 10 mm Glass
- Grub Screw connection to Fixed Panel
- Option Fixing Locations to Floor Mount



CAT. NO.	FINISH
VELDGCH	Polished Chrome
VELDGBN	Brushed Nickel
VELDGMBL	Matte Black
VELDGMGM	Matte Gun Metal
VELDGSB	Satin Brass
VELDGBR	Polished Brass
VELDGBCB	Brushed Copper Bronze
VELDGBBRZ	Brushed Bronze

Velare Track - 2000 mm


- Unique Low Profile 30mm Tall Design
- 2000mm Long
- Available in 8 Finishes



CAT. NO.	FINISH
VELT2MCH	Polished Chrome
VELT2MBN	Brushed Nickel
VELT2MMBL	Matte Black
VELT2MMGM	Matte Gun Metal
VELT2MSB	Satin Brass
VELT2MBR	Polished Brass
VELT2MBCB	Brushed Copper Bronze
VELT2MBBRZ	Brushed Bronze


VELARE SHOWER SCREEN DOOR PANELS

10 mm thick toughened glass Velare door panels, with polished handle hole and cutouts for carriages rollers.



CAT. NO.	WIDTH	HEIGHT	SQM	WEIGHT
VDP6502112	650 mm	2112 mm	1.37	34.3 kg
VDP7502112	750 mm	2112 mm	1.58	39.6 kg


Glass Fabrication Detail:



CRL SHOWER SCREEN FRONT FIXED PANELS


10 mm thick toughened glass fixed panels, suited to fit the front of the Velare Soft Sliding configuration.

CAT. NO.	WIDTH	HEIGHT	SQM	WEIGHT
SFP1972100	197 mm	2100 mm	0.41	10.3 kg
SFP2972100	297 mm	2100 mm	0.62	15.6 kg
SFP3972100	397 mm	2100 mm	0.83	20.8 kg
SFP4972100	497 mm	2100 mm	1.04	26.1 kg
SFP5972100	597 mm	2100 mm	1.25	31.3 kg
SFP6972100	697 mm	2100 mm	1.46	36.6 kg
SFP7972100	797 mm	2100 mm	1.67	41.8 kg
SFP8222100	822 mm	2100 mm	1.73	43.1kg
SFP8472100	847 mm	2100 mm	1.57	44.5 kg
SFP8722100	872 mm	2100 mm	1.83	45.8 kg
SFP8972100	897 mm	2100 mm	1.88	47.1 kg
SFP9222100	922 mm	2100 mm	1.94	48.4 kg
SFP9472100	947 mm	2100 mm	1.98	49.7 kg
SFP9772100	972 mm	2100 mm	2.05	51.3 kg
SFP9972100	997 mm	2100 mm	2.09	52.3 kg
SFP10222100	1022 mm	2100 mm	2.14	53.7kg
SFP10472100	1047 mm	2100 mm	2.19	55.0 kg
SFP10722100	1072 mm	2100 mm	2.25	56.3 kg
SFP10972100	1097 mm	2100 mm	2.30	57.6 kg
SFP11222100	1122 mm	2100 mm	2.36	58.9 kg
SFP11472100	1147 mm	2100 mm	2.40	60.2 kg
SFP11722100	1172 mm	2100 mm	2.46	61.5 kg
SFP11972100	1197 mm	2100 mm	2.51	62.8 kg
SFP12472100	1247 mm	2100 mm	2.62	65.5 kg
SFP12972100	1297 mm	2100 mm	2.72	68.1 kg
SFP13472100	1347 mm	2100 mm	2.83	70.7 kg
SFP13972100	1397 mm	2100 mm	2.93	73.3 kg




VELARE SHOWER SCREEN RETURN PANELS

10 mm thick toughened glass return panel, with cutout to receive the VEL90 – 90° glass track connector.



CAT. NO.	WIDTH	HEIGHT	SQM	WEIGHT
VRP8972127	897 mm	2127 mm	1.91	47.7 kg
VRP9472127	947 mm	2127 mm	2.01	50.4 kg
VRP9972127	997 mm	2127 mm	2.12	53.0 kg
VRP10472127	1047 mm	2127 mm	2.23	55.7 kg
VRP10972127	1097 mm	2127 mm	2.33	58.3 kg
VRP11472127	1147 mm	2127 mm	2.44	61.0 kg
VRP11972127	1197 mm	2127 mm	2.54	63.7 kg

Glass Fabrication Detail:




SERENITY 56MM PULL HANDLE

- For Optional Use with Stock Velare Door Panels
- Can Be Used with Other Sliders
- Fits 48 mm Hole in Glass
- Available in 5 Popular Finishes




Finishes




CAT. NO.	FINISH
AUSERNHP2PS	Polished Stainless
AUSERNHP2BS	Brushed Stainless
AUSERNHP2MBL	Matte Black
AUSERNHP2BGM	Brushed Gun Metal
AUSERNHP2BB	Brushed Brass
SERNHP2BBRZ	Brushed Bronze

90 DEGREE CLEAR POLY U-CHANNEL WITH FIN FOR 8 MM & 10 MM GLASS

- Creates a Water Seal Between the Glass Sliding Door and Fixed Panel.



Finishes




CAT. NO.	GLASS THICKNESS	LENGTH
PC0890	8 mm	2.41 m
PC1090	10 mm	2.41 m

TWO PANEL INLINE SHOWER CONFIGURATIONS - 650 MM STOCK DOORS



FRONT

OVERALL WIDTH	FIXED PANEL	DOOR PANEL
1200 mm - 1240 mm	597 mm	650 mm
1250 mm - 1290 mm	647 mm	650 mm
1300 mm - 1340 mm	697 mm	650 mm
1350 mm - 1390 mm	747 mm	650 mm
1400 mm - 1440 mm	797 mm	650 mm
1425 mm - 1465 mm	822 mm	650 mm
1450 mm - 1490 mm	847 mm	650 mm
1475 mm - 1515 mm	872 mm	650 mm
1500 mm - 1540 mm	897 mm	650 mm
1525 mm - 1565 mm	922 mm	650 mm
1550 mm - 1590 mm	947 mm	650 mm
1575 mm - 1615 mm	972 mm	650 mm
1600 mm - 1640 mm	997 mm	650 mm
1625 mm - 1665 mm	1022 mm	650 mm
1650 mm - 1690 mm	1047 mm	650 mm
1675 mm - 1715 mm	1072 mm	650 mm
1700 mm - 1740 mm	1097 mm	650 mm
1725 mm - 1765 mm	1122 mm	650 mm
1750 mm - 1790 mm	1147 mm	650 mm
1775 mm - 1815 mm	1172 mm	650 mm
1800 mm - 1840 mm	1197 mm	650 mm
1850 mm - 1890 mm	1247 mm	650 mm
1900 mm - 1940 mm	1297 mm	650 mm
1950 mm - 1990 mm	1347 mm	650 mm

TOP VIEW



SIDE VIEW





TWO PANEL INLINE SHOWER CONFIGURATIONS - 750 MM STOCK DOORS



FRONT

OVERALL WIDTH	FIXED PANEL	DOOR PANEL
1400 mm - 1440 mm	697 mm	750 mm
1450 mm - 1490 mm	747 mm	750 mm
1500 mm - 1540 mm	797 mm	750 mm
1525 mm - 1565 mm	822 mm	750 mm
1550 mm - 1590 mm	847 mm	750 mm
1575 mm - 1615 mm	872 mm	750 mm
1600 mm - 1640 mm	897 mm	750 mm
1625 mm - 1665 mm	922 mm	750 mm
1650 mm - 1690 mm	947 mm	750 mm
1675 mm - 1715 mm	972 mm	750 mm
1700 mm - 1740 mm	997 mm	750 mm
1725 mm - 1765 mm	1022 mm	750 mm
1750 mm - 1790 mm	1047 mm	750 mm
1775 mm - 1815 mm	1072 mm	750 mm
1800 mm - 1840 mm	1097 mm	750 mm
1815 mm - 1865 mm	1122 mm	750 mm
1850 mm - 1890 mm	1147 mm	750 mm
1875 mm - 1915 mm	1172 mm	750 mm
1900 mm - 1940 mm	1197 mm	750 mm
1950 mm - 1990 mm	1247 mm	750 mm

TOP VIEW



SIDE VIEW



THREE PANEL 90° CORNER SHOWER CONFIGURATIONS - 650 MM STOCK DOORS


FRONT

OVERALL WIDTH	FIXED PANEL	DOOR PANEL
1200 mm - 1250 mm	597 mm	650 mm
1250 mm - 1300 mm	647 mm	650 mm
1300 mm - 1350 mm	697 mm	650 mm
1350 mm - 1400 mm	747 mm	650 mm
1400 mm - 1450 mm	797 mm	650 mm
1425 mm - 1475 mm	822 mm	650 mm
1450 mm - 1500 mm	847 mm	650 mm
1475 mm - 1525 mm	872 mm	650 mm
1500 mm - 1550 mm	897 mm	650 mm
1525 mm - 1575 mm	922 mm	650 mm
1550 mm - 1600 mm	947 mm	650 mm
1575 mm - 1625 mm	972 mm	650 mm
1600 mm - 1650 mm	997 mm	650 mm
1625 mm - 1675 mm	1022 mm	650 mm
1650 mm - 1700 mm	1047 mm	650 mm
1675 mm - 1725 mm	1072 mm	650 mm
1700 mm - 1750 mm	1097 mm	650 mm
1725 mm - 1775 mm	1122 mm	650 mm
1750 mm - 1800 mm	1147 mm	650 mm
1775 mm - 1825 mm	1172 mm	650 mm
1800 mm - 1850 mm	1197 mm	650 mm
1850 mm - 1900 mm	1247 mm	650 mm
1900 mm - 1950 mm	1297 mm	650 mm
1950 mm - 2000 mm	1347 mm	650 mm


90° RETURN

OVERALL WIDTH	FIXED PANEL
900 mm	897 mm
950 mm	947 mm
1000 mm	997 mm
1050 mm	1047 mm
1100 mm	1097 mm
1150 mm	1147 mm
1200 mm	1197 mm

TOP VIEW



SIDE VIEW



THREE PANEL 90° CORNER SHOWER CONFIGURATIONS - 750 MM STOCK DOORS


FRONT

OVERALL WIDTH	FIXED PANEL	DOOR PANEL
1400 mm - 1450 mm	697 mm	750 mm
1450 mm - 1500 mm	747 mm	750 mm
1500 mm - 1550 mm	797 mm	750 mm
1525 mm - 1575 mm	822 mm	750 mm
1550 mm - 1600 mm	847 mm	750 mm
1575 mm - 1625 mm	872 mm	750 mm
1600 mm - 1650 mm	897 mm	750 mm
1625 mm - 1675 mm	922 mm	750 mm
1650 mm - 1700 mm	947 mm	750 mm
1675 mm - 1725 mm	972 mm	750 mm
1700 mm - 1750 mm	997 mm	750 mm
1725 mm - 1775 mm	1022 mm	750 mm
1750 mm - 1800 mm	1047 mm	750 mm
1775 mm - 1825 mm	1072 mm	750 mm
1800 mm - 1850 mm	1097 mm	750 mm
1815 mm - 1875 mm	1122 mm	750 mm
1850 mm - 1900 mm	1147 mm	750 mm
1875 mm - 1925 mm	1172 mm	750 mm
1900 mm - 1950 mm	1197 mm	750 mm
1950 mm - 2000 mm	1247 mm	750 mm


90° RETURN

OVERALL WIDTH	FIXED PANEL
900 mm	897 mm
950 mm	947 mm
1000 mm	997 mm
1050 mm	1047 mm
1100 mm	1097 mm
1150 mm	1147 mm
1200 mm	1197 mm



TOP VIEW








SIDE VIEW




VELARE SIZE SPECIFICATIONS - 2100 MM STOCK PANELS






SQUARE NO DRILL CLAMP

- Solid Brass Construction
- Suitable for 10 mm Thick Glass
- Grub Screw Attachment to Glass
- Available in 7 Matching Finishes




Finishes




CAT. NO.	FINISH
SGCNDCH	Polished Chrome
SGCNDBN	Brushed Nickel
SGCNDMBL	Matte Black
SGCNDMGM	Matte Gun Metal
SGCNDBR	Polished Brass
SGCNDSB	Satin Brass
SGCNDBC	Brushed Copper Bronze

SQUARE NO DRILL CLAMP WITH HORIZONTAL LEG

- Offset Fixing Plate
- Solid Brass Construction
- Suitable for 10 mm Thick Glass
- Grub Screw Attachment to Glass




Finishes




CAT. NO.	FINISH
SGCNDLCH	Polished Chrome
SGCNDLBN	Brushed Nickel
SGCNDLMBL	Matte Black
SGCNDLMGM	Matte Gun Metal
SGCNDLBR	Polished Brass
SGCNDLSB	Satin Brass
SGCNDLCB	Brushed Copper Bronze

SQUARE DOUBLE SCREW NO DRILL CLAMP

- Solid Brass Construction
- Suitable for 10 mm Thick Glass
- Grub Screw Attachment to Glass
- Available in 6 Matching Finishes





Finishes




CAT. NO.	FINISH
NDC4CH	Polished Chrome
NDC4BN	Brushed Nickel
NDC4MBL	Matte Black
NDC4MGM	Matte Gun Metal
NDC4BR	Polished Brass
NDC4BBRZ	Brushed Bronze

SQUARE 90° WALL TO GLASS BRACKET

- Brass Construction
- Suitable for 10 - 12 mm Thick Glass
- Available in 7 Matching Finishes




Finishes




CAT. NO.	FINISH
SGCWMCH	Polished Chrome
SGCWMBN	Brushed Nickel
SGCWMMBL	Matte Black
SGCWMMGM	Matte Gun Metal
SGCWMBR	Polished Brass
SGCWMSB	Satin Brass
SGCWBCB	Brushed Copper Bronze

SQUARE 90° WALL TO GLASS BRACKET - SB50 STYLE

- Brass Construction
- Suitable for 10 - 12 mm Thick Glass
- Available in 7 Matching Finishes



Finishes




CAT. NO.	FINISH
SGC50CH	Polished Chrome
SGC50BN	Brushed Nickel
SGC50MBL	Matte Black
SGC50MGM	Matte Gun Metal
SGC50BR	Polished Brass
SGC50SB	Satin Brass
SGC50BCB	Brushed Copper Bronze

SQUARE 90° GLASS TO GLASS BRACKET


- Brass Construction
- Suitable for 10 - 12 mm Thick Glass
- Available in 6 Matching Finishes



Finishes




CAT. NO.	FINISH
SGC90DCH	Polished Chrome
SGC90DBN	Brushed Nickel
SGC90DMBL	Matte Black
SGC90DMGM	Matte Gun Metal
SGC90DBR	Polished Brass
SGC90DSB	Satin Brass
SGC90DBC	Brushed Copper Bronze




19 MM X 14.3 MM DEEP U-CHANNEL

- Designed for 10 mm thick Glass
- Available in 7 Matching Finishes
- Superior 2 mm thick wall
- Available in 2.41 m and 3.66 m Lengths





2.41 M LENGTH CAT. NO.	3.66 M LENGTH CAT. NO.	FINISH
SDCD38BA	SDCD3812BA	Bright Anodized
SDCD38BN	SDCD3812BN	Brushed Nickel
SDCD38MBL	SDCD3812MBL	Matte Black
SDCD38MGM	SDCD3812MGM	Matte Gun Metal
SDCD38BGA	SDCD3812BGA	Bright Gold Anodised
SDCD38SB	SDCD3812SB	Satin Brass
SDCD38BCB	SDCD3812BCB	Brushed Copper Bronze
SDCD38BBRZ		Brushed Bronze

Finishes




9.5 MM X 14.3 MM & 9.5 MM X 17 MM REGULAR U-CHANNEL - 2.4M

- Designed for 10 mm thick Glass
- Available in 4 Finishes
- Superior 2 mm thick wall




Finishes



14.3 MM WIDE CAT. NO.	17 MM WIDE CAT. NO.	FINISH
SDCR38BA	SDCR12BA	Bright Anodized
SDCR38BN	SDCR12BN	Brushed Nickel
SDCR38MBL	SDCR12MBL	Matte Black
SDCR38BGA	SDCR12BGA	Bright Gold Anodised


19 MM X 17.3 MM DEEP U-CHANNEL

- Designed for 12 mm thick Glass
- Available in 7 Matching Finishes
- Superior 2 mm thick wall
- Available in 2.41 m and 3.66 m Lengths




2.41 M LENGTH CAT. NO.	3.66 M LENGTH CAT. NO.	FINISH
SDCD12BA	SDCD1212BA	Bright Anodized
SDCD12BN	SDCD1212BN	Brushed Nickel
SDCD12MBL	SDCD1212MBL	Matte Black
SDCD12MGM	SDCD1212MGM	Matte Gun Metal
SDCD12BGA	SDCD1212BGA	Bright Gold Anodised
SDCD12SB	SDCD1212SB	Satin Brass
SDCD12BCB	SDCD1212BCB	Brushed Copper Bronze
SDCD12BBRZ		Brushed Bronze

Finishes




30 MM X 14.3 MM EXTRA DEEP U-CHANNEL - 2.4 M

- Designed for 10 mm thick Glass
- Available in 7 Finishes
- Superior 2 mm thick wall




Finishes



CAT. NO.	FINISH
SDCE38BA	Bright Anodized
SDCE38BN	Brushed Nickel
SDCE38MBL	Matte Black
SDCE38BGA	Bright Gold Anodised

5 MM X 12 MM HALF MOON WATER BAR THRESHOLD - 2 M


- Low Profile, Minimalistic Style
- Available in 6 Matching Finishes
- Solid Aluminium



Finishes




Bright
Anodised



Brushed Nickel



Matte Black



Matte Gun
Metal



Satin Brass




Brushed Copper
Bronze

CAT. NO.	FINISH
WBCH	Polished Chrome / Bright Anodised
WBBN	Brushed Nickel
WBMBL	Matte Black
WBMGM	Matte Gun Metal
WBSB	Satin Brass
WBBCB	Brushed Copper Bronze

10 MM X 10 MM SQUARE WATER BAR THRESHOLD - 2 M

- Higher Profile for Greater Water Retention
- Available in 2 Finishes



Finishes



Bright
Anodised




Matte Black


CAT. NO.	FINISH
WBCHSQ	Polished Chrome / Bright Anodised
WBMBLSQ	Matte Black

6 MM X 20 MM HALF MOON WATER BAR THRESHOLD - 2.4 M

- Perfect for Flat or Out-Sloping Curbs
- Available in 5 Matching Finishes




Finishes




CAT. NO.	FINISH
SDT980BA	Polished Chrome / Bright Anodised
SDT980BN	Brushed Nickel
SDT980MBL	Matte Black
SDT980BGA	Polished Brass / Bright Gold Anodised
SDT980CLR	Clear

10 MM X 16 MM TEAR DROP WATER BAR THRESHOLD - 2.4 M

- Higher Teardrop Profile Promotes Better Water Retention
- Available in 4 Finishes




Finishes



CAT. NO.	FINISH
S1L001CH	Polished Chrome / Bright Anodised
S1L001BN	Brushed Nickel
S1L001MBL	Matte Black

CRL CLEAR SETTING BLOCKS

- Long Lasting PVC Material
- Several Thicknesses Available
- Clear and UV Resistant
- 6 mm, 10 mm & 12 mm Wide Options
- Sold in Packs of 100 Blocks



CAT. NO.	THICKNESS	WIDTH	LENGTH
PSB040AU	1 mm	6 mm	50 mm
PSB080AU	2 mm	6 mm	50 mm
PSB125AU	3 mm	6 mm	50 mm
PSB156AU	4 mm	6 mm	50 mm
PSB250AU	6 mm	6 mm	50 mm
PSB375AU	10 mm	6 mm	50 mm
SB101575CL	1.5 mm	10 mm	75 mm
SB10375CL	3 mm	10 mm	75 mm
SB10575CL	5 mm	10 mm	75 mm
SB101275CL	12 mm	10 mm	75 mm
SB12350	3 mm	12 mm	50 mm
SB12650	6 mm	12 mm	50 mm
SB101250	10mm	12 mm	50 mm

CRL SANITARY SILICONE SEALANT

- Fast cure and long skin time
- Neutral Cure
- Resists Mildew, Even
- Seals around Bathtubs, Showerscreens, Wall Fixtures, Sinks, Kitchen and Bathroom Fixtures



CAT. NO.	FINISH
CRL2601	Translucent
CRL2602	White

CRL SUPER TIP GRANITE, MARBLE AND TILE DRILL BIT

- Especially Suited for Drilling Granite, Marble, and Tile
- Designed for Hammer or Rotary Drills Only
- Available in 4 sizes



Carbide Tip

CAT. NO.	SIZE
SDB18	3.2 mm
SDB316	4.8 mm
SDB416	6.4 mm
SDB38	9.5 mm

CRL SURE-GRIP VACUUM LIFTER

- 68 kg Lifting Capacity
- 203 mm Pad Size
- Comfort Grip Thermoplastic Handle
- Designed for Flat Surfaces



CAT. NO.	LIFTING CAPACITY
S3338	68 kg

CRL VIKING ARM WITH PANEL PLACE/POSITION TOOL BRACKET


- 150 kg Capacity for the Viking Arm
- Incremental 1 mm Lowering Adjustment
- For Use With Any Standard Vacuum Cup



CAT. NO.	DESCRIPTION
GP3VAK	CRL Viking Arm Kit
VA330	Viking Arm Handheld Tool
GP3100	Viking Glass Pane Panel & Position Tool Attachment

CRL NEWBORN RATCHET ROD CAULKING GUN

- Fits Standard Cartridge 51 mm dia x 216 mm long
- Ratchet Action for Smooth Caulking
- Heat Treated
- Features Seal Piercing Tool, Nozzle Spout Cutter, Ladder Hook, Adjustable Wrist Strap & No Pinch Finger Guard



CAT. NO.	DESCRIPTION
KM27RD	CRL Newborn Ratchet Rod Caulking Gun



Call on 1800 424 275

Melbourne

42 Enterprise Drive
Rowville
VIC 3178
Tel. +61 3 9730 3000

Sydney

9 Shale Place
Eastern Creek
NSW 2766
Tel. +61 2 9851 3444

Enquiries

Email: crlaus@crlaurence.com

www.crlaurence.com.au