Safety data sheet
according to 1907/2006/EC, Article 31 as amended

Printing date 23.09.2023 Version number 1 Revision: 23.09.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Trade name: CRL S50 SPRAYWAY GLASS CLEANER**

· **Article number:** S50
· **Registration number** Mixture
· **UFI:** KV00-70QJ-T006-F9FT
· **1.2 Relevant identified uses of the substance or mixture and uses advised against**
· **Product category** PC35 Washing and cleaning products (including solvent based products)
· **Application of the substance / the mixture** Cleaning agent/ Cleaner
· **Uses advised against**
Any use involving aerosol formation or vapour release in excess of the assigned WEL where workers are exposed without suitable RPE.
Processes involving extreme heat use advised against.

· **1.3 Details of the supplier of the safety data sheet**
C. R. Laurence of Europe GmbH
Bochstrasse 7
74360 Ilsfeld
Germany
Tel: +49 (0)7062 915 93 0
Email: de@crl.eu
· **Manufacturer/Supplier:**
C.R. Laurence of Europe
Charles Babbage Avenue
Kingsway Business Park
Rochdale
OL16 4NW
Tel: +44 (0) 1706 863600
Email: crl@crlaurence.co.uk

· **Further information obtainable from:** Product safety department.
· **1.4 Emergency telephone number:**
National Poisons Information Centre: +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week)
Healthcare Professionals: +353 (1) 809 2566 (24 hour service)

IN NORTHERN IRELAND:
Members of the public should contact NHS Direct on 111.

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**
· **Classification according to Regulation (EC) No 1272/2008**
Aerosol 3 H229 Pressurised container: May burst if heated.
· **Additional information:** This product is not classified as flammable on the basis of test data.

· **2.2 Label elements**
· **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
· **Hazard pictograms** Void
· **Signal word** Warning
· **Hazard statements**
H229 Pressurised container: May burst if heated.
· **Precautionary statements**
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31 as amended

Printing date 23.09.2023 Version number 1 Revision: 23.09.2023

Trade name: CRL S50 SPRAYWAY GLASS CLEANER

(Contd. of page 1)

P251 Do not pierce or burn, even after use.
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
· **Additional information:**
7 % by mass of the contents are flammable
· **2.3 Other hazards**
· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**
· **Description:** Mixture of various multifunctional components with propellant in aerosol can.

· **Dangerous components:**		
CAS: 64-17-5 EINECS: 200-578-6	Ethanol Flam. Liq. 2, H225; Eye Irrit. 2, H319	2.5–<10%
CAS: 111-76-2 EINECS: 203-905-0	2-butoxyethanol Acute Tox. 3, H331; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319 ATE: LD50 oral: 1,200 mg/kg LC50/4 h inhalative: 3 mg/l	2.5–<10%
CAS: 74-98-6 EINECS: 200-827-9	Propane Flam. Gas 1A, H220; Press. Gas (Comp.), H280	1–2.5%
CAS: 106-97-8 EINECS: 203-448-7	butane Flam. Gas 1A, H220; Acute Tox. 3, H331; Press. Gas (Comp.), H280	1–2.5%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**
· **General information:** Immediately remove any clothing soiled by the product.
· **After inhalation:** Supply fresh air; consult doctor in case of complaints.
· **After skin contact:**
Immediately wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.
· **After eye contact:**
Check for and remove any contact lenses.
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
· **After swallowing:**
Wash mouth out with water
Do not induce vomiting; call for medical help immediately.
If vomiting occurs spontaneously, keep head below hips to prevent aspiration.
· **Information for doctor:** Treat symptomatically and supportively.
· **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31 as amended

Printing date 23.09.2023 Version number 1 Revision: 23.09.2023

Trade name: CRL S50 SPRAYWAY GLASS CLEANER

(Contd. of page 2)

· **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**
· **Suitable extinguishing agents:**
CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Use fire extinguishing methods suitable to surrounding conditions.
· **For safety reasons unsuitable extinguishing agents:** Water with full jet
· **5.2 Special hazards arising from the substance or mixture**
In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion.
Formation of toxic gases is possible during heating or in case of fire.
· **5.3 Advice for firefighters**
· **Protective equipment:**
Wear self-contained respiratory protective device.
Do not inhale explosion gases or combustion gases.
Wear fully protective suit.
· **Additional information**
Warn firefighters that aerosols are involved.
Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Keep ignition sources away - no smoking.
· **6.2 Environmental precautions:**
Do not allow to penetrate the ground/soil.
Do not allow to enter sewers/ surface or ground water.
· **6.3 Methods and material for containment and cleaning up:**
Contain and collect spillage with non-combustible, absorbent material e.g.sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
Ensure adequate ventilation.
· **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Keep away from heat and direct sunlight.
· **Information about fire - and explosion protection:** Keep ignition sources away - Do not smoke.

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31 as amended

Printing date 23.09.2023 Version number 1 Revision: 23.09.2023

Trade name: CRL S50 SPRAYWAY GLASS CLEANER

(Contd. of page 3)

· **7.2 Conditions for safe storage, including any incompatibilities**
· **Storage:**
· **Requirements to be met by storerooms and receptacles:**
Observe official regulations on storing packagings with pressurised containers.
· **Information about storage in one common storage facility:** Not required.
· **Further information about storage conditions:**
Store in cool, dry conditions in well sealed receptacles.
Protect from heat and direct sunlight.
· **Storage class:** 2 B
· **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**	
64-17-5 Ethanol	
OEL	Short-term value: 1000 ppm
111-76-2 2-butoxyethanol	
OEL	Short-term value: 246 mg/m³, 50 ppm Long-term value: 98 mg/m³, 20 ppm Sk, IOELV
74-98-6 Propane	
OEL	Asphx
106-97-8 butane	
OEL	Short-term value: 1000 ppm

· **DNELs**		
64-17-5 Ethanol		
Oral	DNEL Long-term systemic effects	87 mg/kg bw/day (general population)
Dermal	DNEL Long-term systemic effects	206 mg/kg bw/day (general population)
		343 mg/kg bw/day (worker)
Inhalative	DNEL Long-term systemic effects	114 mg/m³ (general population)
		380 mg/m³ (worker)
	DNEL Short-term local effects	950 mg/m³ (general population)
		1,900 mg/m³ (worker)
111-76-2 2-butoxyethanol		
Oral	DNEL Long-term systemic effects	6.3 mg/kg bw/day (general population)
	DNEL Short-term systemic effects	26.7 mg/kg bw/day (general population)
Inhalative	DNEL Long-term systemic effects	59 mg/m³ (general population)
		98 mg/m³ (worker)
	DNEL Short-term systemic effects	426 mg/m³ (general population)
		1,091 mg/m³ (worker)
	DNEL Short-term local effects	147 mg/m³ (general population)
		246 mg/m³ (worker)

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31 as amended

Printing date 23.09.2023 Version number 1 Revision: 23.09.2023

Trade name: CRL S50 SPRAYWAY GLASS CLEANER

(Contd. of page 4)

· **PNECs**

64-17-5 Ethanol	
PNEC Freshwater	960 µg/L
PNEC Freshwater - Intermittent releases	2.75 mg/L
PNEC Marine water	790 µg/L
PNEC Sewage Treatment Plant	580 mg/L
PNEC Sediment (freshwater)	3.6 mg/kg
PNEC Sediment (marine water)	2.9 mg/kg
PNEC Soil	630 µg/kg
PNEC Secondary poisoning	380–720 mg/kg food
111-76-2 2-butoxyethanol	
PNEC Freshwater	8.8 mg/L
PNEC Freshwater - Intermittent releases	26.4 mg/L
PNEC Marine water	880 µg/L
PNEC Sewage Treatment Plant	463 mg/L
PNEC Sediment (freshwater)	34.6 mg/kg
PNEC Sediment (marine water)	3.46 mg/kg
PNEC Soil	2.33 mg/kg
PNEC Secondary poisoning	20 mg/kg food

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**
· **Appropriate engineering controls** No further data; see section 7.
· **Individual protection measures, such as personal protective equipment**
Select PPE appropriate for the operations taking place taking into account the product properties.
· **General protective and hygienic measures:**
The usual precautionary measures are to be adhered to when handling chemicals.
Avoid contact with the eyes and skin.
Wash hands before breaks and at the end of work.
Do not eat, drink, smoke or sniff while working.
Keep away from foodstuffs, beverages and feed.
Do not inhale gases / fumes / aerosols.
· **Respiratory protection:** Use suitable respiratory protective device in case of insufficient ventilation.
· **Hand protection**



Protective gloves.
Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
· **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31 as amended

Printing date 23.09.2023 Version number 1 Revision: 23.09.2023

Trade name: CRL S50 SPRAYWAY GLASS CLEANER

(Contd. of page 5)

· **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
· **Eye/face protection**



Safety glasses with side-shields conforming to EN166.
Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

· **Body protection:**



Protective work clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**	
· **General Information**	
· **Physical state**	Aerosol
· **Colour:**	Light yellow
· **Odour:**	Characteristic
· **Odour threshold:**	Not determined.
· **Melting point/freezing point:**	Undetermined.
· **Boiling point or initial boiling point and boiling range**	100 °C
· **Flammability**	Not applicable.
· **Lower and upper explosion limit**	
· **Lower:**	Not determined.
· **Upper:**	Not determined.
· **Flash point:**	Not applicable, as aerosol.
· **Decomposition temperature:**	Not determined.
· **pH at 20 °C**	9.1–10.1
· **Viscosity:**	
· **Kinematic viscosity**	Not determined.
· **Dynamic:**	Not determined.
· **Solubility**	
· **water:**	Fully miscible.
· **Partition coefficient n-octanol/water (log value)**	Not determined.
· **Vapour pressure at 20 °C:**	5500-6900 hPa
· **Density and/or relative density**	
· **Density at 20 °C:**	0.98–1 g/cm³
· **Relative density**	Not determined.
· **Vapour density**	Not determined.
· **9.2 Other information**	
· **Appearance:**	
· **Form:**	Aerosol

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31 as amended

Printing date 23.09.2023 Version number 1 Revision: 23.09.2023

Trade name: CRL S50 SPRAYWAY GLASS CLEANER

(Contd. of page 6)

· **Important information on protection of health and environment, and on safety.**	
· **Ignition temperature:**	Product is not self-igniting.
· **Explosive properties:**	Not determined.
· **Solvent content:**	
· **VOC (EC)**	11.00 %
· **Change in condition**	
· **Evaporation rate**	Not applicable.

· **Information with regard to physical hazard classes**	
· **Explosives**	Void
· **Flammable gases**	Void
· **Aerosols**	Pressurised container: May burst if heated.
· **Oxidising gases**	Void
· **Gases under pressure**	Void
· **Flammable liquids**	Void
· **Flammable solids**	Void
· **Self-reactive substances and mixtures**	Void
· **Pyrophoric liquids**	Void
· **Pyrophoric solids**	Void
· **Self-heating substances and mixtures**	Void
· **Substances and mixtures, which emit flammable gases in contact with water**	Void
· **Oxidising liquids**	Void
· **Oxidising solids**	Void
· **Organic peroxides**	Void
· **Corrosive to metals**	Void
· **Desensitised explosives**	Void

SECTION 10: Stability and reactivity

· **10.1 Reactivity** No further relevant information available.
· **10.2 Chemical stability**
· **Thermal decomposition / conditions to be avoided:**
Heating will cause rise in pressure of container with risk of bursting.
· **10.3 Possibility of hazardous reactions** No dangerous reactions known.
· **10.4 Conditions to avoid** Heat and static discharge.
· **10.5 Incompatible materials:** Strong oxidising agents.
· **10.6 Hazardous decomposition products:**
Carbon monoxide and carbon dioxide
No dangerous decomposition products known.

SECTION 11: Toxicological information

· **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
· **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**

ATE (Acute Toxicity Estimates)		
Oral	LD50	34,286 mg/kg (ATE)
Inhalative	LC50/4 h	85.7 mg/l (rat)

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31 as amended

Printing date 23.09.2023 Version number 1 Revision: 23.09.2023

Trade name: CRL S50 SPRAYWAY GLASS CLEANER

(Contd. of page 7)

64-17-5 Ethanol		
Oral	LD50	>10,000 mg/kg (rat)
Dermal	LD50	>10,000 mg/kg (rabbit)
Inhalative	LC50/4 h	>100 mg/l (rat)
111-76-2 2-butoxyethanol		
Oral	LD50	1,200 mg/kg (ATE)
Dermal	LD50	3,000 mg/kg (rabbit)
Inhalative	LC50/4 h	3 mg/l (rat)
106-97-8 butane		
Inhalative	LC50/4 h	658 mg/l (rat)

· **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
· **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
· **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
· **Carcinogenicity** Based on available data, the classification criteria are not met.
· **Reproductive toxicity** Based on available data, the classification criteria are not met.
· **STOT-single exposure** Based on available data, the classification criteria are not met.
· **STOT-repeated exposure** Based on available data, the classification criteria are not met.
· **Aspiration hazard** Based on available data, the classification criteria are not met.
· **Subacute to chronic toxicity:** Prolonged or repeated skin contact may irritate and cause dermatitis.
· **Additional toxicological information:**
Inhalation of concentrated vapours as well as oral intake will lead to anaesthesia-like conditions and headache, dizziness, etc.
Deliberately concentrating and inhaling the contents of this container is dangerous and can be fatal.
· **11.2 Information on other hazards**

· **Endocrine disrupting properties**
None of the ingredients is listed.

SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**	
64-17-5 Ethanol	
EC50 (96 h)	454 mg/l (Bacteria)

· **12.2 Persistence and degradability** No further relevant information available.
· **12.3 Bioaccumulative potential** No further relevant information available.
· **12.4 Mobility in soil** No further relevant information available.
· **12.5 Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.
· **12.6 Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.
· **12.7 Other adverse effects**
· **Additional ecological information:**
· **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31 as amended

Printing date 23.09.2023 Version number 1 Revision: 23.09.2023

Trade name: CRL S50 SPRAYWAY GLASS CLEANER

(Contd. of page 8)
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**
· **Recommendation**
Recommended Hierarchy of Controls:
- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system.
Contact waste processors for recycling information.
Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

· **Uncleaned packaging:**
· **Recommendation:**
Container remains hazardous when empty. Continue to observe all precautions.
Disposal must be made according to official regulations.
Do not mix with other waste streams.
Containers, even those that are “empty,” may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.
· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· **14.1 UN number or ID number**	
· **ADR/RID/ADN, IMDG, IATA**	UN1950
· **14.2 UN proper shipping name**	
· **ADR/RID/ADN**	UN1950 AEROSOLS
· **IMDG**	AEROSOLS
· **IATA**	AEROSOLS, non-flammable
· **14.3 Transport hazard class(es)**	
· **ADR/RID/ADN**	



· **Class**	2 5A Gases.
· **Label**	2.2

(Contd. on page 10)

Safety data sheet
according to 1907/2006/EC, Article 31 as amended

Printing date 23.09.2023 Version number 1 Revision: 23.09.2023

Trade name: CRL S50 SPRAYWAY GLASS CLEANER

(Contd. of page 9)

· **IMDG, IATA**



· **Class**	2.2 Gases.
· **Label**	2.2
· **14.4 Packing group**	
· **ADR/RID/ADN, IMDG, IATA**	Void
· **14.5 Environmental hazards:**	Not applicable.
· **14.6 Special precautions for user**	Warning: Gases.
· **Hazard identification number (Kemler code):**	-
· **EMS Number:**	F-D,S-U
· **Stowage Code**	SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.
· **Segregation Code**	SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.
· **14.7 Maritime transport in bulk according to IMO instruments**	Not applicable.
· **Transport/Additional information:**	
· **ADR/RID/ADN**	
· **Limited quantities (LQ)**	1L
· **Excepted quantities (EQ)**	Code: E0 Not permitted as Excepted Quantity
· **Transport category**	3
· **Tunnel restriction code**	E
· **IMDG**	
· **Limited quantities (LQ)**	1L
· **Excepted quantities (EQ)**	Code: E0 Not permitted as Excepted Quantity
· **UN "Model Regulation":**	UN 1950 AEROSOLS, 2.2

IE

(Contd. on page 11)

Safety data sheet
according to 1907/2006/EC, Article 31 as amended

Printing date 23.09.2023 Version number 1 Revision: 23.09.2023

Trade name: CRL S50 SPRAYWAY GLASS CLEANER

(Contd. of page 10)

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Directive 2012/18/EU**
· **Named dangerous substances - ANNEX I** None of the ingredients is listed.
· **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **REGULATION (EU) 2019/1148**

· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

· **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.
This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**
H220 Extremely flammable gas.
H225 Highly flammable liquid and vapour.
H280 Contains gas under pressure; may explode if heated.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H331 Toxic if inhaled.

· **Abbreviations and acronyms:**
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 12)

Safety data sheet
according to 1907/2006/EC, Article 31 as amended

Printing date 23.09.2023 Version number 1 Revision: 23.09.2023

Trade name: CRL S50 SPRAYWAY GLASS CLEANER

(Contd. of page 11)

vPvB: very Persistent and very Bioaccumulative
Flam. Gas 1A: Flammable gases – Category 1A
Aerosol 3: Aerosols – Category 3
Press. Gas (Comp.): Gases under pressure – Compressed gas
Flam. Liq. 2: Flammable liquids – Category 2
Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 3: Acute toxicity – Category 3
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2