SUN CONTROL SYSTEMS



Sunshades


Special Features

- Aluminum and Stainless Steel Construction
- Efficient Light Transmission
- Practical Design for Ease of Installation
- Stock Center, Corner, and End Panels Available
- Four Standard Sizes
- Custom Sizes Available With Stainless Steel Perforated Panels Fabricated to Your Dimensions
- Powder Painted Metallic Silver
- Custom Painted Finishes Available

Efficiently and beautifully styled Series CRL7750 Sunshades lend sophistication and modern design, transforming architecturally ordinary buildings into eye-catching structures.


Each Sunshade System is built to specifications in our Los Angeles facility under strict standards that put CRL at the forefront of manufacturing excellence. One call is all you need to reach CRL Architectural and Ornamental Metals Technical Sales, where product specialists will work with you to create a functional Sunshade System that will meet your customer's needs.

For additional information contact CRL Architectural and Ornamental Metals Technical Sales at (800) 421-6144 in the U.S., (877) 421-6144 from Canada, or (323) 588-1281 International. Ask for Ext. 7770. You can also email us at archmetals@crlaurence.com.



Standard Fabricated Components







Online usalum.com By Phone (800) 262-5151 Ext. 7770
Online crlaurence.com By Phone (800) 421-6144 Ext. 7770

Sunshades Series CRL7750



SUN CONTROL SYSTEMS


Options CENTER PANEL

- Standard 36" (914) Projection
- Powder Painted Metallic Silver
- Custom Sizes and Finishes Also Available

This stock Center Panel unit comes with one each Infill Panel, one each Front Nose Piece, and one each Wall Mount Center Bracket. The projection on all stock units is 36" (914).

PART NO.	LENGTH	FINISH
AW7750C12	12" (305)	Silver Metallic
AW7750C24	24" (610)	Silver Metallic
AW7750C36	36" (914)	Silver Metallic
AW7750C48	48" (1219)	Silver Metallic

Minimum order: 1 each.








CORNER PANEL

- Standard 36" (914) Projection
- Powder Painted Metallic Silver
- Custom Sizes and Finishes Also **Available**

This stock 40" long x 36" projection (1016 x 914) Corner Panel unit comes with two each Infill Panels, one each welded 90 degree Front Nose Piece, and one each Wall Mount Center Bracket.






PART NO.	LENGTH	FINISH
AW7750CNR	40" (1016)	Silver Metallic

END PANEL

- Standard 36" (914) Projection
- Left and Right Hand Models
- Powder Painted Metallic Silver
- Custom Sizes and Finishes Also Available

This stock End Panel unit comes with one each Infill Panel, one each Front Nose Piece, one each Wall Mount Center, and one each Wall Mount End Bracket. Available in left and right hand models.





Top View L.H.

	BY C.R. LAURENCE As 150001-2000 Certified Company		
D	LENGTH	FINISH	
2	12" (305)	Silver Metallic	
4	24" (610)	Silver Metallic	
6	36" (914)	Silver Metallic	
8	48" (1219)	Silver Metallic	
_	nlino usalum	oom By Dh	

LEFT HAND RIGHT HAN PART NO. PART NO. AW7750L12 AW7750R12 AW7750L24 AW7750R24 AW7750R3 AW7750L36 AW7750R48 AW7750L48 Minimum order: 1 each.



SUN CONTROL SYSTEMS




Custom Fabricated Sunshades




- Structurally Designed to Meet the Load Values Required on the Project
- Available in Many Proven Designs or Can Be Custom Designed to Meet Your Needs
- Powder Paint, KYNAR®, Clear Anodized, and Bronze Finishes
- Fabricated in Our California Facility for Prompt Service

CRL Sunshades not only provide solar protection but also add to the aesthetics of the building. A Custom Sunshade installation involves a group of talented people to get it right. First, the architect and property owner decides on a plan that meets the building's criteria for visual aesthetics, energy conservation, and budget. Then our Architectural and Ornamental Metals Technical Sales Department works with all the parties involved to assure a functioning and attractive Sunshade installation is completed. We perform engineering for a safe and long-lasting job, and provide shop drawings for approval.









Online usalum.com By Phone (800) 262-5151 Ext. 7770
Online crlaurence.com By Phone (800) 421-6144 Ext. 7770